Bothalia

A RECORD OF

CONTRIBUTIONS

FROM THE

NATIONAL HERBARIUM

REPUBLIC OF SOUTH AFRICA

PRETORIA

INDEX TO VOL. VII

COMMONWEALTH MYCOLOGICAL INSTITUTE
26 OCT 1964

EDITED BY

R. A. DYER, M.Sc., D.Sc., F.R.S.S.Af.,

CHIEF, DIVISION OF BOTANY, DEPARTMENT OF AGRICULTURAL AND TECHNICAL SERVICES
AND DIRECTOR OF THE BOTANICAL SURVEY OF THE REPUBLIC OF SOUTH AFRICA

THE GOVERNMENT PRINTER, PRETORIA

G.P.-S.2541564—1962-63—1,000.

Bothalia

A RECORD OF

CONTRIBUTIONS

FROM THE

NATIONAL HERBARIUM

REPUBLIC OF SOUTH AFRICA

PRETORIA

INDEX TO VOL. VII

EDITED BY

R. A. DYER, M.Sc., D.Sc., F.R.S.S.Af.,

CHIEF, DIVISION OF BOTANY, DEPARTMENT OF AGRICULTURAL AND TECHNICAL SERVICES
AND DIRECTOR OF THE BOTANICAL SURVEY OF THE REPUBLIC OF SOUTH AFRICA

THE GOVERNMENT PRINTER, PRETORIA

G.P.-S.2541564—1962-63—1,000.

CONTENTS

Part I. *Published* 1958. PAGE

1. Leaf Anatomy in the Grass Series Phragmitiformes (Harz) Avdulov. Fig. 1–8. J. M. J. de Wet 1
2. Notes on the Loganiaceae, Salvadoraceae and Oleaceae in South Africa. I. C. Verdoorn 11
3. Notes on the Genus Royena in South Africa. B. de Winter 17
4. Notes and Interesting Records of African Plants. Various Authors 21
5. The Protea Species of the Summer Rainfall Area of South Africa. Tab. 1. J. S. Beard 41
6. The Albizia Species of South Africa. L. E. Codd 67
7. Studies of Wood Rotting Fungi: 1, Cultural Characteristics of some Common Species. Tab. 1–5. G. C. A. van der Westhuizen 83
8. New and Interesting Records of South African Fungi. Part III. Fig. 1–4. P. H. B. Talbot 109
9. The Genera Craterellus, Cymatoderma (Cladoderris) and Thelephora in South Africa. Fig. 1–9. P. H. B. Talbot .. 117
10. Studies of Some South African Resupinate Hymenomycetes. Part II. Fig. 1–38. Including a*. P. H. B. Talbot 131

* Species Index of Recorded South African Thelephoraceae 172

Part II. *Published* 1960.

1. Notes on Some Species of Cladophora from South Africa. Tab. 1–3; fig. 1–9. R. H. Simons 189
2. Notes on Aristothamnion purpuriferum (Kütz.) J. Ag. Fig. 1–5. R. H. Simons 201
3. Virus Diseases of Lupins. Tab. 1–5. Patricia J. Klesser 207
4. Virus Diseases of Cowpeas. Patricia J. Klesser 233
5. Virus Diseases of Peas and Sweet Peas. Tab. 1–8. Patricia J. Klesser 253
6. Virus Diseases of Broad Beans. Tab. 1–2. Patricia J. Klesser 283
7. Chromosome Morphology in Kniphofia. J. M. J. de Wet 295
8. Leaf Anatomy of Six South African Grass Genera. J. M. J. de Wet 299
9. Leaf Anatomy and Morphology in South African species of Danthonia. J. M. J. de Wet 303
10. Culm Anatomy in Relation to Taxonomy. J. M. J. de Wet 311
11. Notes on the Sapotaceae of Southern Africa. A. D. J. Meeuse 317
12. An Enumeration of the Maytenus Species of Southern Africa. W. Marais 381
13. A New Genus of Gramineae. B. de Winter 387
14. The Opening of the Pretoria National Botanic Garden. R. A. Dyer 391
15. Notes on Some South African Species of the Genus Euclea. B. de Winter .. 403
16. Notes and New Records of African Flowering Plants. Various Authors 407

Part III. *Published* 1961.

1. Homonyms in the Prodromi of Thunberg and Burman. J. E. Dandy 427
2. South African Labiatae. L. E. Codd 429
3. South African Species of Satureia. D. J. B. Killick 435
4. x Ruttyruspolia, A Natural Intergeneric Hybrid in Acanthaceae. A. D. J. Meeuse and J. M. J. de Wet 439
5. Notes and New Records of African Plants 443
   Acanthaceae. A. D. J. Meeuse and A. A. Obermeyer.
   Apocynaceae. L. E. Codd.
   Araceae. Cythna Letty.
   Ebenaceae. B. de Winter.
   Gentianaceae. I. C. Verdoorn and W. Marais.
   Gesneriaceae. R. Story.
   Gramineae. B. de Winter.
   Hypoxidaceae. D. J. B. Killick.
   Liliaceae. A. A. Obermeyer.
   Malvaceae. A. D. J. Meeuse.
   Plumbaginaceae. R. A. Dyer.
   Scrophulariaceae. O. Overkott.
   Turneraceae. R. Story.
6. The Virus Diseases of Crotalaria, Glycine and Medicago Species. Tab. 1–5. Patricia J. Klesser 497
7. The Virus Diseases of Beans. Tab. 1–8. Patricia J. Klesser 521
8. A Contribution to Our Knowledge of the Fresh-water Algae of the Transvaal Province. Tab. 1–37. Enumeration of the Taxa. Vegetative Reproduction in Desmids. M. I. Claassen 559
9. Review of the Flora Zambesiaca, Vol. I, Part 1, 1960. L. E. Codd 667
10. Addendum: Cladophora isaacii. R. H. Simons 668

Part IV. *Published* 1962.

1. A Revision of the South African Species of Anthericum, Chlorophytum and Trachyandra. A. Amelia Obermeyer 669
2. The Identity of the Fungus Causing Anthracnose of Olives in South Africa. G. J. M. A. Gorter 769

INDEX TO VOLUME VII

PAGE

Abutilon flanaganii *A. Meeuse*..... 484
fruticosum *G. & P.*..... 484
galpinii *A. Meeuse*..... 484
grandiflorum *Don*..... 485
grantii *A. Meeuse*..... 484, 487
indicum sensu Harv..... 485
mauritianum (*Jacq.*) *Medic*..... 485
piloso-cinereum *A. Meeuse*....485, 486
pseudocleistogamum *Hochr*..... 483
sonneratianum *Sweet*..... 484
Acacia *lebbeck* (L.) Willd..... 81
lophantha Willd..... 81
marlothii Engl..... 77
mollissima *Willd*..... 87
sericocephala Fenzl..... 70
ACANTHACEAE..... 443
Achnanthes *Bory*..... 605
exigua *Grun*..... 605
lanceolata (*Bréb.*) *Grun.*
var rostrata *Hust*..... 605
linearis *W.Sm*..... 605
microcephala *Kg*..... 605
minutissima *Kg*..... 605
Achras *L.*..... 366
Acokanthera *G. Don*..... 447
deflersii..... 450
friesiorum..... 450
lamarckii G. Don..... 448
longiflora..... 450
oblongifolia (*Hochst.*) *L. E. Codd*..... 449
oppositifolia (*Lam.*) *L. E. Codd*.....448, 449
ouabaio..... 450
rhodesica..... 450
schimperi (*A. DC.*) *Schweinf.*
var. rotundata *L. E. Codd* 449
spectabilis (Sond.) Hook. f.. 449
venenata *G. Don*.....448, 449
venenata sensu Stapf..... 448
var. *spectabilis* (Sond.) Sim 449
venenatum (Burm. f.) G. Don ex C. A. Sm. nom. illegit. 448
var. *scabra* (Sond.) Markgf. 448
venatorium *E. Mey*..... 448
Actinostroma infundibuliforme Klotzsch.... 120
Adenema hyssopifolium (Willd.) G. Don.. 462
Adenium *arabicum* Balf. f..... 452
coetanum Stapf..... 452
honghel A. DC..... 452
micranthum Stapf..... 452
multiflorum Klotzsch..... 452
obesum (*Forsk.*) *R. & S.*
var. multiflorum (*Klotzsch*) *L. E. Codd*..... 452
speciosum Fenzl..... 452

PAGE

Aeluropus..... 2
Afrachneria..... 3
African Flowering Plants—New and Interesting Records of..... 21
African Plants—Notes and New Records of 443
Afrochrysophyllum Engl. p.p..... 340
Albizia *Durazz*..... 67
adianthifolia (*Schum.*) *W. F. Wight* 79
amara (*Roxb.*) *Boiv.*
subsp. sericocephala (*Benth.*) *Brenan*..... 70
anthelmintica (*A. Rich.*) *A. Brongn* 77
var. *australis* Bak. f..... 77
var. *pubescens* Burtt Davy..... 77
antunesiana *Harms*..... 74
brevifolia *Schinz*..... 69
coriaria *Welw*..... 74
distachya (Vent.) MacBride..... 81
evansii *Burtt Davy*..... 79
fastigiata (E. Mey.) Oliv..... 80
forbesii *Benth*..... 72
gummifera sensu C. A. Sm..... 80
harveyi *Fourn*..... 71
hypoleuca Oliv..... 71
julibrissin *Durazz*..... 67
lebbeck (*L.*) *Benth*..... 81
var. *australis* Burtt Davy..... 75
lophantha (*Willd.*) *Benth*..... 81
mossambicensis Sim..... 73
pallida Harv..... 71
parvifolia Burtt Davy..... 69
rhodesica Burtt Davy..... 75
rogersii Burtt Davy..... 69
sericocephala Benth..... 70
struthiophylla Milne-Redhead..... 70
suluensis *Gerstner*..... 76
tanganyicensis *Bak. f.*..... 75
umbalusiana Sim..... 77
versicolor *Welw. ex Oliv*..... 73, 74
var. *mossambicensis* Schinz..... 73
Albuca sp..... 690
Aleurodiscus *Rabenhorst ex Schroeter*.... 169
acerinus
var. alliaceus..... 170
botryosus..... 169
disciformis..... 170
mirabilis..... 170
polygonioides..... 170
roseus..... 170
Allium *ampeloprasum* var. *B.* Gawl..... 481
dregeanum Kunth..... 481
rotundum *L.*..... 481
Aloe arachnoides (" arachnoidea ")....427, 428
Alsike Clover Mosaic Virus 1..... 498
Amauroderma rude (*Berk.*) *G. H. Gunn* 86, 104, 105

PAGE

Amphora *Ehrenb*. 608
ovalis *Kg*. 608
var. libyca (*E.*) *Cl*. 608
submontana *Hust*. 608
Anabaena *Bory*
affinis *Lemm*. 564
catenula (*Kütz.*) *Born & Flah*. . . . 564
galpinii *Claassen*. 564
mesiana *Claassen*. 564
pseudocatenula *Claassen*. 564
Andropogon ravus *J. G. Anderson*. 417
sylvaticus *Hubbard*. 418
Aningeria adolfi-frederici (Engl.) Robyns & Gilbert. 341
Anomochloa. 5
ANOMOCHLOEAE. 7
ANOMOCHLOIDEAE. 5
Anomoeoneis *Pfitzer*. 606
exilis (*Kg.*) *Cl*. 606
sphaerophora (*Kg.*) *Pfitzer* 606
Anthericum *Linn*. **670**
acutum *Wright*. 673, **686**
adscendens Poelln. 680
affine Bak. 728
aggericolum Poelln. 755
amboense Poelln. 724
anceps *Bak*. 672, 673, **679**
angulicaule *Bak*. . 671, 673, **675**, 676
apicicolum Krause. 742
aristatum Poelln. 724
arvense Schinz. 740
var. *rigidum* Suess. 740
asperatum Bak. 755
bachmannii O. Kuntze. 742
bakerianum Poelln. 677
basutoense Poelln. 756
betschuanicum Poelln. 725
bipedunculatum Jacq. 706
blepharophoron Roem & Schult 734
bolusii Bak. 708
brachyphyllum Suess. 684
brachypodum Bak. 729
var. *caespitosum* Adams. . . . 729
bracteatum Thode ex Poelln. . . 689
brehmianum Bak. 707
brevicaule Bak. 689
brevifolium Thunb. 689
brevitepalum Poelln. 724
brunneoviride Dint. 740
buchubergense Poelln. 739
bulbinifolium Dint. 743
burkei Bak. 721
caespitosum Dint. 685
canaliculatum Ait. 733, 734
var. *rufum* Lindley. 734
canaliculatum sensu Bak. 733
calyptrocarpum *Bak*. . 670, 671, 672, 673, **685**
capillatum Poelln. 756
capitatum Bak. 672, 680
cepaefolium Dint. apud Poelln. 724
chlamydophyllum Bak. 731
ciliatum L.f. 733
cirrifolius Schinz. 750
comosum Thunb 699
congestum Adams. 732
conrathii Bak. 681, 682
cooperi *B. k*. 671, 672, **680**, 708

PAGE

Anthericum *crassinerve* Bak. 709
crassiusculum Dint. 724
crispum Thunb. 695
curvifolium Krause. 685
cyperaceum *Kies*. 672, 673, **675**
delagoense Poelln. 677
dielsii Poelln. 708
dinteri Poelln. 739
diphyllum Dint. 742
divaricatum sensu Bak. 677
divaricatum Jacq. 677, 737, 738
drepanophyllum (Bak.) Schltr. ex Index Kew. 7. 735
dubium Roem. & Schult. . . . 706
durum Suess. 684
elatum Ait. 694
elongatum Willd. 716, 737
var. *flexifolium* Bak. 745
var. *holostachyum* Bak. 724
elongatum sensu Bak. 738
elongatum sensu Duthie. 749
elongatum sensu Poelln. 740
ensifolium Soelch. 759
erraticum Oberm. 740
erythrorrhizum Conr. 757
falcatum L.f. 735
falcatum sensu Bak. 734
fasciculatum *Bak*. 671, 672, 673, 680, **681**
filiforme β Thunb. 728
filiforme γ Thunb. 737
filiforme δ Thunb. 749
var. *reflexipilosum* O. Kuntze 726
fimbriatum Thunb. 742
flavoviride Bak. 740
flexifolium L.f. 750
flexifolium sensu Jacq. 738, 745
friesii Weim. 683
galpinii *Bak*. . 670, 671, 672, **676**, 679
var. galpinii. **676**
var. matabelense (*Bak.*) *Oberm.* comb. nov. **677**
var. norlindii (*Weimarck*) *Oberm.*, comb. nov. . . . **677**, 711
gerrardii Bak. 757
giffenii Leighton. 758
gilvum Krause. 740
var. *brunneolum* Poelln. 740
glabrum Adams. 730
glandulosum Dint. 754
var. *montis-ruschii* Poelln. . 754
glutinosum Dint. 1920, 1931. . 739
gracilitepalum Poelln. 724
graminifolium Willd. 708
hamatum Poelln. 734
haygarthii (*Wood & Evans*) *Kies*. 672, 673, 686, **689**, 711
hereroense Schinz. 681
var. *longibracteatum* Poelln. 681
hirsutiflorum Adams. 733
hirsutum Thunb. 730
hispidum L. 732
humile *Hochst*. 755
indutum Poelln. 688
involucratum Bak. 721
jacquinianum Roem. & Schult. 745
var. *affinis* Bak. pro parte. . 728
jacquinianum sensu Bak. 737

PAGE

Anthericum *junodii* Bak. 677
kässneri Poelln. 724, 725
kovismontanum Dint. 706
krauseanum *Dint*. 673, 674, **684**
kunthii Bak. 755
kyllingioides Krause. 684, 685
lanatum Dint. 744
lanzae Cuf. 724, 725
laxum N. E. Br. 739
liliago *L*. 669, 671, 709
limosum *Bak*. 679
longepedunculatum Steud. ex Roem. & Schult. 736
longibracteatum Dint. 706
var. *brevibracteatum* Dint. . 706
forma *submembranaceum* Poelln. 706
longiciliatum Poelln. 728
longifolium Jacq. 734
var. *burchellii* Bak. 728
longifolium sensu Bak 742
longifolium sensu Duthie. 742
longifolium sensu Spreng. 742
longipedicellatum Poelln. 690
longistylum *Bak*. 672, 673, **686**, 688, 689
lowryense Bak. 729
lunatum Poelln. 703
lydenburgense Poelln. 681, 682
macowanii Bak. 756
macranthum Bak. 690
maculatum Poelln. 734
magnificum Poelln. 696
malosanum Bak. 759
matabelense Bak. 677
micranthum Bak. 724
monticolum Poelln. 755
montium-draconis Poelln. 757
multiceps Poelln. 690
multisetosum Bak. 670, 671, 675
muricatum L.f. 742
nataglencoense O. Kuntze. 755
natalense Poelln. 755
nigrobracteatum Dint. 739
nonscriptum Poelln. 690
nudicaule Bak. 672, 680
oatesii Bak. 725
obtusifolium Poelln. 729
odoratissimum Dint. 743, 744
var. *brevibracteatum* Dint. 743
oligotrichum Bak. 749
omissum Poelln. 759
oocarpum Schltr. ex Poelln. 745
otavense Engl. & Krause. 679
pachyphyllum Bak. 680, 681
pachyrrhizum Dint. 739
pallidiflavum Engl. & Gilg. 740
palustre Adams. 730
pappei Bak. 750
paradoxum Roem. & Schult. 732
pascuorum Poelln. 680
patulum Bak. 677
pauciflorum Thunb. α. 706
pauciflorum Thunb. β. 708
var. *minor* Bak. 708
pauper Poelln. 690
peculiare Dint. 733

PAGE

Anthericum *pilosiflorum* Poelln. 734
var. *subpapillosum* Poelln. ... 734
pilossisimum Poelln. 733
pilosum Bak. 724, 756
planifolium Thunb. *a*, *c*. 699
pleiophyllum Schltr. ex Poelln. 708
polyphyllum Bak. 670, 686, 688
praetermissum Poelln. 729, 759
pretoriense Bak. 682
pseudofalcatum Poelln. 728
pubescens Bak. 728
pudicum Bak. 728
pulchellum Bak. 679
pungens Poelln. 684
pyrenicarpum Welw. ex Bak. . 759
quadrifidum Poelln. 690
radula *Bak*. 672, 673, **688**
ramosum *L*. 669, 671, 690
rangei *Engl. & Krause*. . 672, 673, 683, 684
rautanenii Schinz. 679
recurvatum Dint. 734
recurvifolium Bak. 686
rehmannii Bak. 677
revolutum L. ... 670, 715, 737, 738
revolutum sensu Bak. 737
revolutum sensu Ker. 737
revolutum sensu Thunb. α. ... 736
revolutum sensu Thunb. β. ... 737
rigens Poelln. 684
rigidifolium Poelln. 683
rigidum (Kunth) Bak. 705
rigidum Krause. 684
rigidum de Wild. 684
robustum Bak. 670, 671, 675
rosenbrockii Poelln. 695
rouwenortii de Gorter. 694
rubrovittatum Poelln. 671, 675
rudatisii Poelln. 679
var. *angustum* Poelln. 679
rustii Poelln. 695
sabulosum Adams. 753
salteri Leighton. 745
saltii Bak. 722, 724
saundersiae *Bak*. 672, 673, **679**
scabromarginatum Schltr. ex Poelln. 742, 743
scabrum L.f. 751
scabrum sensu Duthie. 737
scariosum Duthie. 672, 683
schlechteri Poelln. 743
schultesii sensu Bak. 705
schultesii sensu Duthie. 705
secundum Krause & Dinter. ... 725
seineri (Engl. & Krause) Poelln. 690
serpentinum Bak. 750
spongiosum Poelln. 734
squameum L.f. 732
stenophyllum Adams. 729
stenophyllum Bak. 756
sternbergianum Roem. & Schult. 699
subcontortum Bak. 755
sublanatum Dint. 744
submaculatum Poelln. 729
subpilosum Poelln. 732
subulatum Bak. 681, 682
suessenguthii Soelch. 684

PAGE

Anthericum *tabulare* Bak. 730
tenellum *Welw. ex Bak.* 685
tenuifolium Adams. 729
thyrsoideum Bak. 744
tortifolium O. Kuntze. 757
tortile Bak. 745
transvaalense *Bak.* 672, 673, **688**, 689
trichophlebium *Bak.* 672, **682**
triflorum Ait. 670, 706
var. *minor* Bak. 680
tubiferum Dint. 683
tumidum Poelln. 708
undulatum Jacq. 708
undulatum Thunb. 732
unilaterale Thunb. 690
vaginatum Bak. 682
validum Poelln. 729
variegatum Hort. 700
vespertinum Jacq. 734
vestitum Bak. ex Schinz. 688
viscosum Bak. 706
volkii Sölch. 677
weissianum Dint. 735
whytei *Bak.* 672, **683**
wilmsii Diels apud Poelln. 681, 682
wilmsii Diels ex Burtt Davy & Pott-Leendertz. 681
zavatterii *Cuf.* 759
zebrinum Schltr. apud Poelln. 746

Anthracnose of Olives in South Africa—The Identity of the Fungus Causing—by G. J. M. A. Gorter. 769–778

APHYLLOPHORALES. 161

APOCYNACEAE. 447

ARACEAE. 455–6

Arachis hypogaea *L.* 218, 234, 284, 501, 524, 528, 533, 538, 542

Arduina bispinosa L. 450

Argania spinosa (*L.*) *Skeels*. 323

Aristida
aequiglumis *Hack*. 5
barbicollis *Trin. & Rupert*. 5
bipartita (*Nees*) *Trin.* 5
gracilior *Pilg*. 5
obtusa *Del*. 5
sericans *Hack*. 5

Aristothamnion purpuriferum (*Kütz.*) *J. Ag.*–Notes on. 201

Arthropodium hispidum (L.f.) Spreng. 732

Arthropodium muricatum (L.f.) Spreng. 742

Arundinaria. 5

ARUNDINEAE. 7

Arundinella. 3

ARUNDINELLEAE. 3

Aseroë rubra *La Bill.* ex *Fries*. 109

Asphodelopsis Steud. ex Bak. 690

Asphodelus capensis L. 694

Asterionella *Hassall*. 604
africana *Chy*. 604

Asterostroma *Massee*. 170
cervicolor (*B. & C.*)*Massee*. 170

Asterostromella Höhn. & Litsch. 160, 161, 169
duriuscula (B. & Br.) Talbot 160, 169
rumpiana Talbot. 160, 169

Astrebla. 2

Atherstonea decussata Pappe. 11

Auricularia tabacina Sowerby. 157

PAGE

Austromimusops (*Engl.*) *A. Meeuse*. 547
cuneata (*Engl.*) *A. Meeuse* 355
dispar (*N. E. Br.*) *A. Meeuse*. 352
marginata (*N. E. Br.*) *A. Meeuse*. 347, 348, 352
sylvestris (*S. Moore*) *A. Meeuse*. 352, 354

AVENEAE. 3

Baillonella *Pierre*. 348, 349–350

Bakeriella *Dub.* pro parte. 341

Bakeriella. 334
brevipes (Bak.) Dub. 334
cinerea (Engl.) Dub. 334

Bakerisideroxylon *Engl.* 341
sapinii (" Sapini ") *De Wild*. 342
stolzii Mildbr. 342

BAMBUSEAE. 5, 7

BAMBUSOIDEAE. 4, 7

Barleria ameliae *A. Meeuse*. 443
argillicola *Oberm*. 444
bolusii *Oberm*. 445
delagoensis *Oberm*. 443, 444
elegans *S. Moore*. 445
mosdenensis Oberm. 445
saxatilis *Oberm*. 445

Batterea stevenii (*Liboschitz*) *Fries*. 110, 115

Bean, Chlorotic Ringspot Viruses. 527
„ , Local Chlorosis Virus—Strain B. 265
„ , Local Chlorosis Viruses. 532
„ , Mosaic Virus Stewart and Reddick 521, 524
„ , Necrosis Virus. 538
„ , Virus Complex. 541
„ , Yellow Mosaic Virus Pierce. 218
„ , Yellow Mosaic Virus, Necrotic Strain. 267, 547

Beard, J. S. The Protea Species of the Summer Rainfall Area of South Africa 41–63

Belmontia and *Exochaenium*, synonymous with Sebaea. 464

Belmontia E. Mey. 464

Belonites E. Mey. 453
bispinosa (Thunb.) E. Mey. 453
succulenta (Thunb.) E. Mey. 453

Besenna anthelmintica A. Rich. 77

Boletus lacrymans Wulfen. 152

Bothriochloa. 314

Botryobasidium Donk. 169

Brachiaria. 314

BRACHYPODIEAE. 311–313

Brachypodium. 313

Breviea Aubr. et Pellegr. 332

Briza. 2, 313

Broad Bean Mosaic Virus A. 284

Broad Bean Mosaic Virus B. 288

Broad Beans—Virus Diseases of, by Patricia J. Klesser. 283–294

BROMINEAE. 2

Bromus. 313

Buddleia—Sinking the Genus *Chilianthus* under. 13

Bulbine *Willd*. 669
canaliculata (Ait.) Spreng. 734
caulescens (L.f.) Willd. 669, 712
ciliata (L.f.) Link. 734
crispa (Thunb.) Roem. & Schult. 695
falcata (L.f.) Roem. & Schult. 735

PAGE

Bulbine frutescens (L.) *Willd*..... 690
scabra (L.f.) Roem. & Schult.... 751
seineri Engl. & Krause..... 690
squamea (L.f.) Kunth..... 732
Bulbinella *Kunth*..... 669
burkei (Bak.) Benth..... 722
filiforme (Ait.) Kunth..... 737
squamea (L.f.) Kunth..... 732
Bumelia.....321, 347
Caesia *R. Br*..... 669
brevicaulis (Bak.) Dur. & Schinz.. 689
comosa (Thunb.) Spreng..... 699
contorta (*L.f.*) *Dur. & Schinz*..... 689
Calamagrostis..... 313
CALLITRICHACEAE..... 22
Callitriche..... 22
bolusiana Schonl. & Pax nom. nud..... 22
bolusii *Schonl.* et *Pax ex Marl.* 22
Caloneis *Cleve*..... 605
aequatorialis *Hust.* var. tugelae *Chy*..... 605
bacillum (*Grun.*) *Cl*..... 605
chasei *Chy*..... 605
incognita *Hust*..... 605
silicula (*E.*) *Cl*..... 605
var. peisonis *Hust*..... 605
var. truncatula *Grun*..... 605
Calvaria inermis (L.) Dubard..... 324
var. *zanzibarensis* Pierre ex Dub..... 324
diospyroides (Bak.) Dub... 324
Cantharellus cornucopioides Linn. ex Fr... 117
Carissa *L*..... 449
acokanthera Pichon..... 449
acuminata E. Mey..... 450
arduina Lam..... 450
arduina Stapf..... 451
bispinosa (*L.*) *Desf. ex Brenan*.... 450
var. acuminata (*E. Mey.*) *L. E. Codd*.....451, 452
var. bispinosa..... 450
cordata Dinter..... 450
cordata (Mill.) Fourc..... 450
dinteri Markgf..... 450
erythrocarpa (Eckl.) A. DC....450, 451
ferox (E. Mey.) A. DC..... 450
haematocarpa (Eckl.) A. DC.... 450
megaphylla Gdgr..... 451
myrtoides Desf..... 450
oblongifolia Hochst.....449, 450
oppositifolium (Lam.) Pichon.... 449
spectabilis (Sond.) Pichon..... 449
Catabrosa micrantha Hochst. ex A. Rich.. 388
Catha fasciculata Tul..... 383
CELASTRACEAE..... 381
Celastrus L.f..... 383
acuminatus L.f..... 383
albatus N. E. Br..... 383
angularis Sond..... 385
buxifolius L..... 385
concinnus N. E. Br..... 385
" *cordata* " Sim..... 384
cordatus E. Mey. ex Sond..... 383
crispus Thunb..... 403
cymosus Soland..... 385
ellipticus Thunb..... 385
heterophyllus E. & Z..... 385

PAGE

Celastrus ilicinus Burch..... 383
lanceolatus E. Mey. ex Sond..... 384
laurinus Thunb..... 383
linearis Linn. f..... 384
lucidus Linn..... 383
mossambicensis Klotzsch..... 385
nemorosus E. & Z..... 385
oleoides Lam..... 383
peduncularis Sond..... 384
polyacanthus Sond..... 384
ruber Harv..... 385
senegalensis Lam..... 384
tenuispinus Sond..... 384
undatus Thunb..... 383
Cenchrus..... 314
Centotheca 3
CENTOTHECEAE..... 7
CENTOTHECINAE..... 3
Ceriomyces venulosus (B. & C.) Torrend.. 140
Ceropegia..... 21
caffrorum *Schltr*..... 21
occulta *R. A. Dyer*..... 21
Cestrum..... 449
citrifolium *Retz*..... 449
oppositifolium Lam..... 448
venenatum Thunb.....427, 448, 449
Chaetobromus..... 313
Chilianthus Burch..... 13
corrugatus..... 13
Chironia..... 458
arenaria..... 459
bachmannii Gilg..... 462
emarginata Jarosz..... 460
gracilis Salisb. ex Prain..... 460
var. *macrocalyx* Prain..... 460
humilis Gilg..... 462
var. *wilmsii* (Gilg) Prain..... 462
var. *zuluensis* Prain..... 462
jasminoides..... 462
linoides *L*..... 459
subsp. emarginata (*Jarosz*) *Verdoorn*..... 460
„ linoides..... 459
„ macrocalyx (*Prain*) *Verdoorn*..... 460
„ nana *Verdoorn*..... 460
maxima Schoch..... 460
palustris *Burch*..... 460
subsp. palustris..... 460
„ rosacea (*Gilg*) *Verdoorn* 460
„ transvaalensis (*Gilg*) *Verdoorn*..... 460
var. *foliata* (Griseb.) Prain.... 460
var. *radicata* (E. Mey.) Schoch 460
purpurascens (*E. Mey.*) *Benth. & Hook.f.*..... 461
subsp. humilis (*Gilg*) *Verdoorn* 462
„ purpurascens..... 461
var. *impedita* Prain..... 462
var. *tysonii* (Gilg) Prain.... 461
rosacea Gilg..... 460
stokoei *Verdoorn*..... 458
transvaalensis Gilg..... 460
tysonii Gilg..... 462
wilmsii Gilg..... 462
Chlamydopus meyenianus (*Klotzsch*) *Lloyd* 110, 114
CHLORIDEAE..... 314

PAGE

Chloris..... 314
Chlorophytum *Ker Gawler*.....669, **690**
andongense *Bak*..... 698
aridum *Oberm*.....691, **696**
blepharophyllum *Schweinf. ex Bak*..... 711
bowkeri *Bak*.....691, **700**
brachystachyum *Bak*....701, 703
brehmeanum Roem. & Schult. 707
burchellii Bak..... 699
capense (*L.*) *Voss* 692, **694**, 696, 698
comosum (*Thunb.*) *Jacques* 691, 693, 695, **698**, 699
crassinerve (*Bak.*) *Oberm.* 691, **709**
crispum (*Thunb.*) *Bak*....692, **695**
delagoense Bak..... 699
dolomiticum Dint..... 703
dregei Poelln..... 711
drepanophyllum Bak.....711, 735
dubium Roem. & Schult..705, 707
durbanense O. Kuntze..... 698
elatum (Ait.) R. Br. ex Spreng 694
var. *burchellii* Bak..... 699
gazense *Rendle*.....691, 698
graminifolium (Willd.) Kunth 708
haygarthii Wood & Evans.689, 711
inornatum sensu Bak.....707, 711
inornatum *Gawl*.....690, 693
krookianum *Zahlbr*..691, 693, **696**
laxum *R. Br*.....691, 693, 698
leipoldtii *Poelln.* (in error "leipoldii").....711
lewisae *Oberm*..... **710**
longipedunculatum Forbes.. 696
longituberosum Poelln..... 699
macrosporum *Bak*.....692, **697**
magnificum *Weim*..... 701
marlothii Poelln..... 707
modestum *Bak*.....691, **698**
monophyllum *Oberm.* 692, 693, **705**
namaquense *Poelln*.....707, 711
nigricans Bak..... 700
norlindii Weim.....677, 711
papillosum *Rendle*..691, 692, **703**
pauciphyllum *Oberm*..... **710**
perlongibracteatum Poelln.. 700
petiolatum *Bak*..... 698
piquetbergense Poelln..... 708
pulchellum *Bak*..... **698**
rhodesianum Phill..... 697
rigidum *Bak*..691, 692, 693, **703**, 705, 707
schlechterianum *Poelln*.... 711
stamineum Zahlbr..... 700
strictum Bak..... 700
trachycarpum *Oberm*..691, 692, 693, **701**
triflorum (*Ait.*) *Kunth*....691, 705
tsumebensis Dint.....703, 706
tuberculatum Duthie..... 708
undulatum (*Jacq.*) *Oberm.* 691, **708**, 710
vaginatum Bak..... 711
vaginatum *Hua*..... 711
vallis-trappii Poelln..... 699
variegatum Hort..... 700
viscosum *Kunth*....691, 693, **706**
wilmsii Engl. & Krause.... 700

PAGE

Chrysophy lum *L*..... 326
subgenus Donella (*Pierre ex Baill.*) *A. Meeuse*..... 327
subgenus Gambeya (*Pierre*) *A. Meeuse*..... 327
antunesii Engl.....335, 339
argyrophyllum Hiern....335, 338
bangweolense *R. E. Fries* 329
cainito *L*..... 327
carvalhoi Engl.....335, 337
cerasiferum (Welw.) Hiern 341
disaco *Hiern*..... 341
fulvum S. Moore..... 330
gorungosanum *Engl*..... 329
gossweileri de Wild..... 335
holtzii *Engl. et Krause*.... 340
lanceolatum (Bl.) DC... 327
magalismontanum Sond. 330, 335, 338
natalense Sond.....330, 339
pentagonocarpum *Engl. & Krause*..... 329
pruniforme *Engl*..... 329
roxburghii *Don*..... 327
subnudum *Bak*..... 328
tessmannii *Engl. & Krause* 340
viridifolium *Wood & Franks*.....328, 330
welwitschii *Engl*..... 329
wilmsii Engl...330, 335, 337
Chrysopogon..... 314
Cicer arietinum *L*..... 209
Cineraria mitellaefolia *L'Herit*..... 25
Claassen. M. I. A Contribution to Our Knowledge of the Freshwater Algae of the Transvaal Province. Enumeration of the Taxa.....559–666
Vegetative Reproduction in Desmids... 613
Cladoderris Pers. ex Berk..... 168
australica Berk. ex Saccardo 120, 121
australis Kalchbr. forma *minima* Bres..... 120
dendritica *Pers*..... 169
elegans (Jungh.) Fries..... 120
funalis *P. Henn*.....122, 169
infundibuliformis (Kl.) Fries..120, 121
spongiosa Fr.....120, 121
var. *subsessilis* Fr.....120, 121
thwaitesii *Berk. & Broome*.... 123
thwaitesii sensu Doidge..... 123
Cladophora—Notes on some Species from South Africa..... 189
capensis (*Ag.*) *Kütz* 191, 192, 193, 198
ecklonii (Rud.) Kütz..... 191
flagelliformis (Suhr) Kütz 190, 191
humilis..... 191
isaacii *Simons*.....193, 194, 668
neesiorum..... 191
ramosissima..... 190
virgata (*Ag.*) *Kütz*.....190, 194
Closterium *Nitzsch*..... 569
abruptum *West*..... 569
var. brevius *W. & G. S. West* 569
var. westiorum *Claassen*.... 569
acerosum (*Schrank*) *Ehrenb.*
var. elongatum *Bréb*..... 570
var. waterbergense *Claassen* 570

PAGE

Closterium acutum (*Lyngb.*) *Bréb.*
var. linea (*Perty*) *W. & G. S. West* 570
forma minor *Claassen* 570
atomicum *Claassen* 570
barbaricum *Claassen* 570
boyanum *Claassen* 570
caffrorum *Claassen* 571
calosporum *Wittr.*
var. minor *Claassen* 571
ceratium *Perty*
var. angustum *Claassen* 571
cornu *Ehrenb.*
var. angustum *Claassen* 571
var. minor *Claassen* 571
cymbellaeformis *Claassen* 571
cynthia *De Not* 570
var. waterbergense *Claassen* 571
decorum, *Bréb* 572, 577
var. minor *Claassen* 572
ehrenbergii *Menegh* 572
var. minutissimum *Claassen* 572
gracile *Bréb.*
var. brevius *Claassen* 572
incurvum *Bréb.*
var. elaboratum *Claassen* .. 572
insolitum *Claassen* 572
intermedium *Ralfs*
var. hibernicum *West* 573
var. mesianum *Claassen* 573
jenneri *Ralfs* 573
var. dubitabilis *Claassen* 573
var. robustum *G. S. West* .. 571
kranskopense *Claassen* 573
kützingii *Bréb.*
var. transvaalense *Claassen* 573
lagoense *Nordst* 577
leibleinii Kütz. 574
lunula (*Mill.*) *Nitzsch* 575
malinvernianum *De Not* 573
moniliferum (*Bory*) *Ehrenb.* .. 574
var. epithemioides *Claassen* 574
parvulum *Näg* 570, 574
var. minor *Claassen* 574
peracerosum *Gay*
var. elegans *G. S. West* 574
praelongum *Bréb.*
forma brevior *West* 574
pritchardianum *Arch* 574, 576
pseudoleibleinii *Claassen* 574
pseudolunula *Claassen* 575
ralfsii *Bréb.*
var. glentigianum *Claassen* 575
var. hybridum *Rabenh* 575
var. minor *Claassen* 575
var. nodosum *Claassen* 575
var. subralfsii *Claassen* 575
rostratum *Ehrenb* 576
schweickerdtii *Claassen* 576
siliqua *W. & G. S. West* 577
spetsbergense *Borge* 576
var. africanum *Fritzsch & Rich* 576
var. subafricanum *Claassen* 576
spinosporum *Hodgetts* 578
stellenboschense *Hodgetts* 576

PAGE

Closterium striolatum *Ehrenb* 570
var. nylstromicum *Claassen* 576
var. subnylstromicum *Claassen* 576
subdecorum *Claassen* 577
sublagoense *Claassen* 577
subsiliqua *Claassen* 577
truncatum *Claassen* 577
tumidum *Johnson* 577
var. angustum *Claassen* 578
venus *Kütz.*
var. inflatum *Claassen* 578
warmbadianum *Claassen*
var. porulosum *Claassen* .. 578
Codd, L. E. Albizia Species of South Africa—The 67–80
Codd, L. E. South African Labiatae 429, 434
Codd, L. E. Review of Flora Zambesiaca .. 667
COLEANTHEAE 4
Coleanthus 4, 6, 7
Coleus caninus (*Roth*) *Vatke* 433
carnosus *Dinter* 432
comosus *Hochst.* ex *Guerke* 434
neochilus (*Schltr.*) *L. E. Codd* 432
omahekensis Dinter 434
pentheri Guerke 432
schinzii Guerke 432
spicatus Benth 434
Colletotrichum gloeosporioides *Penz* ..770, 773, 775, 777, 778
COMPOSITAE 22, 414
Conferva capensis Ag 191
ecklonii Rud 191
virgata Ag 190, 193, 194, 197
Coniodictyum *Har. & Pat.* emend. *G. Melançon* 137
chevalieri *Har. & Pat* 137
evansii (P. Magn.) P. Magn. 137
Coniophora *DC.* ex *Pers* 165
arida (*Fr.*) *Karst* ..87, 104, 138, 165
atrocinera (Karst.) Karst 138
betulae (Schum.) Karst 138
cerebella Pers 139
fodinarum 165
incrustata *Talbot* 4, 139
olivacea 139
papillosa 165
pulverulenta (Lév.) Massie .. 139
puteana (*Schum. ex Fr.*) *Karst.* 87, 140, 165
puteana sensu Doidge 140
Coniophorella Karst 165
CONVOLVULACEAE 26, 415
Corchorus angolensis *Exell & Mendonça* 422, 423
asplenifolius *Burch* 423, 424
confusus *Wild* 422
pinnatipartitus *Wild* 423
serraefolius
var. *lancifolius* Szyszyl 422
trilocularis *L* 422, 423
Corticium *Pers.* ex *Fries* 143
abeuns *Burt* 143
aridum Fries 138
armeniacum 172
bombycinum (*Sommerf.*) *Bres* .. 143
caeruleum 171
cinereum Pers. ex Fries 147

PAGE

Corticium confluens ... 172
conigerum Shear & Davidson .. 140
coronilla Höhn. apud Höhn. & Litsch ... 159
dregeanum Berk ... 155
gloeosporum *Talbot* ... 147, 171
lacteum Fr ... 143
laetum (Karst.) Pers ... 144
litschaueri Burt ... 144
macrosporum Ell. & Everh ... 132
moniliforme *Talbot* ... 144
nudum Fries ... 149
pallidum ... 171
pelliculare *Karst* ... 145
porosum *Berk. & Curt.* apud *Berk. & Br* ... 145, 171
portentosum B. & C ... 160
praetermissum (Karst.) Bresadola ... 151
pruinosum Pat ... 150
pulverulentum (Lév.) Cooke .. 139
punctulatum *Cooke* .. 146, 152, 155, 171
radiosum *Fr* ... 144
rimicolum Karst ... 151
salmonicolor ... 172
scutellare ... 172
septentrionale Burt ... 144
solani (Prill. & Delacr.) Bourd & Galz ... 136, 146
tuberculosum Pat. apud Patouillard & Lagerheim ... 140
tumulosum ... 172
vagum B. & C ... 135, 146
vagum sensu Burt ... 136
var. *solani* Burt ex Rolfs .. 136, 146

Cosmarium *Corda* ... 588
barbaricum *Claassen* ... 588
binum *Claassen* ... 588
botesii *Claassen* ... 588
caffrorum *Claassen* ... 588
connatum *Bréb* ... 589
var. subellipticum *Claassen* 589
var. truncatum *West* ... 589, 595
contractum *Kirchn* ... 589
var. gartanense *W. & G. S. West* ... 589
forma jacobsenii (*Roy.*) W. & *G. S. West* ... 589
var. ellipsoidum (*Elv.*) *West* 589
var. pseudogartanense *Claassen* ... 589
cucumis (*Corda*) *Ralfs* ... 594
debaryi *Arch* ... 589
var. minor *Claassen* ... 589
decoratum *W. & G. S. West* .. 590
var. galpinii *Claassen* ... 590
var. waterbergense *Claassen* 590
entochondrum *W. & G. S. West* ... 588
galpinii *Claassen* ... 590
granatum *Bréb* ... 590
var. africanum *Fritsch* ... 590
hammeri *Reinsch* ... 591
var. minor *Claassen* ... 591
holmiense *Lund* ... 597
impressulum *Elfv* ... 591
istmochondrum *Nordst* ... 590

PAGE

Cosmarium laeve *Rabenh* ... 591
var. majus *Claassen* ... 591
maximum (*Börg.*) *W. & G. S. West* ... 591
var. minor *West* ... 591
meneghinii *Bréb* ... 591
nägelianum *Bréb* ... 592
nanum *Claassen* ... 591
norimbergense *Reinsch* ... 592
nylstromicum *Claassen* ... 592
obliquum *Nordst* ... 592
forma minima *West* ... 592
obsoletum (*Hantzsch*) *Reinsch* 592
var. transvaalense *Claassen* 592
orthostichum *Lund* ... 592
var. compactum *W. & G. S. West* ... 592
var. pseudopumilum *Claassen* ... 592
var. pumilum *Lund* ... 592
var. transvaalense *Claassen* 592
pachydermum *Lund* ... 593
var. aethiopicum *W. & G. S. West* ... 593
var. waterbergense *Claassen* 593
praemorsum *Bréb* ... 588
protractum (*Näg.*) *De Bary* .. 593
pseudamoenum *Wille* ... 593
pseudoarctum *Nordst* ... 591
pseudoprotractum *Claassen* .. 593
pseudopyramidatum *Lund* ... 593
subsp. maximum *Börgesen* .. 594
forma minor *Fritsch & Rich* 594
pseudotaxichondrum *Nordst* .. 593
var. atomicum *Claassen* ... 593
var. siamense *W. & G. S. West* ... 593
pyramidatum *Bréb* ... 594
var. elongatum *Claassen* ... 594
var. majus *Claassen* ... 594
quadratum *Ralfs* ... 594
var. africanum *Fritsch* ... 594
reniforme (*Ralfs*) *Arch* ... 594
schweickerdtii *Claassen* ... 594
sexangulare *Lund* ... 595
sexnotatum *Gutw* ... 595
var. simplex *Claassen* ... 595
var. tristriatum (*Lütkem*) *Schmidle* ... 595
speciosum *Lund* ... 595
var. simplex *Nordst* ... 595
forma africanum *Claassen* ... 595
subauriculatum *W. & G. S. West* ... 595
subconnatum *Claassen* ... 595
subcostatum *Nordst* ... 595
var. warmbadianum *Claassen* ... 595
subtumidum *Nordst* ... 596
var. klebsii (*Gutw.*) *W. & G. S. West* ... 596
var. theronii *Claassen* ... 596
tetragonum (*Näg.*) *Arch* ... 596
var. elegans (*Roy. & Biss.*) *W. & G. S. West* ... 596
var. transvaalense *Claassen* 596

PAGE

Cosmarium trachypleurum *Lund*..... 596
var. natalensis *Fritsch & Rich*..... 596
var. pseudonatalensis *Claassen*..... 596
forma irregulare *Claassen*.. 597
var. spinosum *West*..... 597
var. subspinosum *Claassen*.. 597
transvaalense *Claassen*..... 597
trilobulatum *Reinsch*..... 597
tumidum *Lund*..... 597
waterbergense *Claassen*..... 597
Cotilydia diaphana (*Schw.*) *Lentz*..... 160
Cowpea, Mosaic Virus A..... 234
„ „ Virus B..... 238
„ Virus Diseases of, by Patricia J. Klesser.....233–251
Craterellus cornucopioides (*Linn. ex Fr.*) *Pers*..... 117
Craterellus, Cymatoderma (Cladoderris) and Thelephora in South Africa.....117–187
Crotalaria juncea *L*...209, 234, 284, 498, 501, 508, 524, 528
spectabilis *Roth*..209, 234, 284, 498, 501, 508, 524, 528, 533, 538, 542
Ctenium..... 314
Cucumber Mosaic Virus Strain..... 241
Curtisia dentata (*Burm. f.*) *C. A. Smith*.... 326
faginea Ait..... 326
Cutandia..... 2
Cyclotella *Kutê*..... 603
kützingiana *Thw*..... 603
Cylindrocystis *Menegh*..... 566
barbarica *Claassen*..... 566
brébissonii *Menegh*..... 566
caffra *Claassen*..... 566
crassa *De Bary*..... 566
Cymatoderma *Junghun*.....118, 120, 168
elegans *Junghun*.....120, 169
Cymatopleura *W. Smith*..... 610
solea (*Bréb*) *W. Sm*..... 610
Cymbella *Agardh*..... 608
amphicephala *Näg*..... 608
var. hercynica (*N.S.*) *Cl*.... 608
bengalensis *Grun*..... 608
cistula (*Hempr.*) *Grun*..... 608
var. africana *Chy*..... 608
claasseniae *Chy*..... 608
gracilis (*Rabh.*) *Cl*..... 608
javanica *Hust*..... 608
kappii *Chy*..... 608
kolbei *Hust*..... 608
microcephala *Grun*..... 608
mülleri (*O.M.*) *Hust*..... 608
naviculiformis *Auersw*..... 608
nylstroomensis *Chy*..... 608
pretoriensis *Chy*..... 608
pseudoincerta *Chy*..... 608
raytonensis *Chy*..... 608
var. debegenica *Chy*..... 608
spicula *Hust*..... 608
spuria *Cl*..... 609
turgida (*Greg.*) *Cl*..... 609
forma minor *Chy*..... 609
var. pseudogracilis *Chy*..... 609
ventricosa *Kg*..... 609
Cynosurus..... 1

PAGE

Cyphella *Fries*..... 163
alboviolascens..... 164
applanata..... 163
cheesmani..... 164
farinacea..... 164
pelargonii..... 164
variolosa..... 164
Cynodon..... 314
Cyrtanthus affinis *R. A. Dyer*..... 413
bicolor *R. A. Dyer*..... 413
brachyscyphus *Bak*..... 413
clavatus (*L'Herit.*) *R. A. Dyer*. 413
erubescens *Killick*..... 412
thorncroftii *C. H. Wright*..... 414
Cytidia *Quelet*..... 163
flocculenta..... 163
habgallae..... 163
simulans..... 163
Dactylis..... 2
Dandy, J. E. Homonyms in the Prodromi of Thunberg and Burman..... 427
Danthonia—Leaf Anatomy and Morphology in South Africa by J. M. J. de Wet.....308–310
Danthonia *DC*.....308, 311, 313, 315
andongensis *Rendle*..... 303
arundinacea (*Berg.*) *Schweick*..304, 306, 307, 309
brachyphylla *Nees*.....304, 308
calycina *Roem. & Schult*....307, 309
chilensis *Desv*..... 307
cincta *Nees*.....304, 306, 308
curva *Nees*.....304, 305, 306, 307
disticha *Nees*..304, 305, 306, 307, 308
drakensbergensis *Schweick*..304, 306, 419, 420
dura *Stapf*.....304, 306, 308
forskalii (*Vahl*) *R. Br*..303, 304, 307, 308
glauca *Nees*....303, 304, 306, 309
lanata *Schrad*.....304, 306, 308
lechleri *Steud*..... 307
lupulina (*Thunb.*) *Roem. & Schult*.....304, 306, 308
macowanii *Stapf*.....306, 307, 308
macrantha *Schrad*.....304, 308
malacantha (*Steud.*) *Pilger*.... 308
montana *Doell*..... 308
montevidensis *Hack. & Arech*.. 308
mossamedensis *Rendle*..303, 304, 306, 308, 309
oresigena Phil..... 307
papposa *Nees*.....304, 305, 308
pumila *Nees*.....304, 306, 309
purpurea *Beauv*.....304, 306, 307
rangei *Pilger*..304, 305, 306, 307, 308
secundiflora *Presl*.....307, 308
stereophylla *J. G. Anderson*.. 419
stricta (*Nees*) *Schrad*..304, 306, 308
suffrutescens *Stapf*..303, 304, 306, 308, 309
tandilensis *Kotze*..... 308
tenella *Nees*.....306, 307, 309
zeyheriana *Steud*.....304, 306, 308
var. trichostachya.....304, 306
DANTHONIEAE.....311, 313
Danthoniopsis.....3, 314

PAGE

Dasystachys *Bak*..... 691
papillosa (Rendle) Bak..... 703
Dendrothele *Höhnel & Litsch*..... 170
duthieae..... 170
Desmids, Vegetative Reproduction in—Claassen..... 613
De Wet, J. M. J. Culm Anatomy in Relation to Taxonomy.....311–316
De Wet, J. M. J. Leaf Anatomy and Morphology in South African Species of Danthonia..... 303
De Wet, J. M. J. Leaf Anatomy of Six South African Grass Genera.....299–301
De Wet, J. M. J. Leaf Anatomy in the Grass Series Phragmitiformes (Herz.) Avdulov 1–10
De Wet, J. M. J. Chromosome Morphology in Kniphofia.....295–297
De Winter, B. New Genus of Gramineae. 387
De Winter, B. Notes on the Genus Royena in South Africa.....17–19
Notes on Some South African Species of the Genus Euclea 403
Diandrochloa *de Winter*.....387–390
namaquensis (*Nees*) *de Winter*..... 388
pusilla (*Hack.*) *de Winter*..388–389
Diectomis..... 314
Digitaria..... 314
Digitariella *de Winter*..... 467
remotigluma *de Winter*..... 467
Dilanthes Salisb.....669, 670, 711
revolutum (L.) Salisb..... 737
Dinebra..... 314
Diospyros *L.f.*..... 457
acocksii (*de Winter*) *de Winter*.. 457
angustifolia *Audib. ex Spach*.. 457
austro-africana *de Winter*..... 457
var austro-africana..... 457
var. microphylla (*Burch.*) *de Winter*..... 457
var. rubriflora *de Winter*.... 457
var. rugosa (*E. Mey. ex A. DC.*) *de Winter*..... 457
cordata (*Hiern*) *Bakhuizen*.... 458
galpinii (*Hiern*) *de Winter*..... 457
glabra (*L.*) *de Winter*..... 457
glandulifera *de Winter*..... 457
glandulosa *Lace*..... 457
hirsuta *Desf*..... 457
hirsuta *L.f.*..... 457
lycioides *Desf*..... 457
subsp. guerkei (*O. Ktze.*) *de Winter*..... 458
subsp. lycioides..... 457
subsp. nitens (*Harv. ex Hiern*) *de Winter*..... 458
subsp. sericea (*Bernh.*) *de Winter*..... 457
microphylla *Bedd*..... 457
opaca *C.B. Cl.*..... 458
pallens (*Thunb.*) *F. White*..... 458
ramulosa (*E. Mey. ex A. DC.*) *de Winter*..... 458
rugosa *Sap*..... 457
scabrida (*Harv. ex Hiern*) de *Winter*..... 458
var. cordata (*E. Mey. ex A. DC.*) *de Winter*..... 458

PAGE

Diospyros var. scabrida..... 458
simii (*O. Ktze.*) *de Winter*..... 458
villosa (*L.*) *de Winter*..... 458
var. parvifolia (*de Winter*) *de Winter*..... 458
whyteana (*Hiern*) *F. White*..... 458
Dipholis..... 347
Diplachne..... 314
Diploneis *Ehrenb*..... 606
ovalis (*Hilse*) *Cl.*..... 606
subovalis *Cl.*..... 606
Dischisma
squarrosum *Schltr*.....33, 35
struthioloides *Killick*..... 33–35
Distichlis..... 2
Dolichos lablab..224, 234, 498, 501, 508, 524, 528, 533,538
Donella (*Pierre ex Baill.*) *A. Meeuse*..... 327
Dumoria *Chev*..... 348
Duportella *Patouillard*..... 166
tristicula (*B. & Br.*) *Reinking*..157–166
DUTHIEINAE..... 3
Dyer, R. A. The Opening of the Pretoria National Botanic Garden.....391–401
EBENACEAE.....17–19, 403, 457–8
Echinaria..... 2
Echinochloa..... 314
Echites L.
bispinosa L.f.....452, 453
succulenta L..f.....452, 453
Echium hispidum..... 427
spicatum.....427, 428
EHRHARTEAE.....311, 313
Eichleria Hartog..... 376
discolor (Sond.) Hartog..... 377
Eichleriella *Bresadola*..... 132
macrospora (*Ell. & Everh.*) *Martin*..... 132
Elymus..... 313
Elyonurus..... 314
Enicostema..... 462
hyssopifolium (*Willd.*) *Verdoorn*..... 462
littorale Blume..... 462
verticillare (Retz) Baill..... 462
Enneapogon.....4, 313
Entoplocamia *Stapf*.....2, 299, 300, 314
Epithemia *Bréb*..... 609
zebra (*E.*) *Kg*..... 609
ERAGROSTEAE.....314, 387
ERAGROSTIFORMES..... 5
Eragostis *Host*..... 314
aristata *de Winter*..... 468
bergiana..... 469
diarrhena *Steud*..... 388
diplachnoides *Steud*..... 388
ciliaris..... 387
confertiflora *Black*..... 387
crassinervis *Hack*..... 468
echinochloidea *Stapf*..... 477
glandulosipedata *de Winter*..... 469
glomerata (*Watt*) *Dewey*..... 388
homomalla *Nees*..... 479
horizontalis *Peter*..... 473
hygrophila Hubb. & Schweick... 479
japonica (*Thunb.*) *Trin*..... 388
kingesii *de Winter*..... 470
lamprospicula *de Winter*..... 471

PAGE

Eragostis membranacea *Hack*..... 47
micrantha..... 479
namaquensis Nees..... 388
var. *robusta* Stapf..... 388
var. *uninodis* Hack..... 390
obtusa..... 477
omahekensis *de Winter*.....469, 473
pilosa..... 479
porosa *Nees*..... 469
procumbens *Nees*.....470, 471
pseudo-obtusa *de Winter*.....474–477
pusilla Hack.....388, 389
racemosa..... 473
remotiflora *de Winter*..... 477
tenella..... 387
truncata..... 469
Erica hispida.....427, 428
Eriochloa..... 314
Eriospermum cernuum *Bak*..... 690
Euastrum *Ehrenb*..... 581
ansatum *Ralfs*..... 581
brasiliense *Borge*
var. theronii *Claassen*..... 581
cuneatum *Jenner*
var. minor *Claassen*..... 581
denticulatum (*Kirchn.*) *Gay*..... 581
divaricatum *Lund*
var. transvaalense *Claassen*.. 582
divergens *Joshua*
var. galpinii *Claassen*..... 582
var. subbifidum *Claassen*..... 582
dubitabilis *Claassen*..... 582
elegans (*Bréb.*) *Kütz*..... 582
var. transvaalense *Claassen*... 582
galpini *Claassen*..... 583
inerme (*Ralfs*) *Lund*..... 582
insulare (*Wittr.*) *Roy*..... 583
obesum *Josh*..... 583
pseudovalidum *Claassen*..... 583
rostratum *Ralfs*..... 583
subsp. umbonatum *W. & G. S. West*..... 583
var. kranskopense *Claassen*.. 583
schweickerdtii *Claassen*..... 584
spinulosum *Delponte*..... 583
subsp. africanum *Nordst*.... 583
var. transvaalense *Claassen*.. 584
Euclea coriacea.....403, 404
crispa (*Thunb.*) *Sond. ex Guerke*.. 403
var. crispa..... 403
var. ovata (*Burch.*) *de Winter*.... 403
daphnoides Hiern. 404, 405
kellaua Hochst..... 404
lanceolata E. Mey. ex A. DC..... 403
macrophylla E. Mey. ex A. DC.... 404
natalensis..... 403
ovata Burch..... 403
racemosa Murr.
var. *burchellii* Hiern..... 404
schimperi (*A. DC.*) *Dandy*..... 404
var. daphnoides (*Hiern*) *de Winter*..... 405
var. schimperi..... 405
schimperi (A. DC.) Dandy..... 405
Euglena *Ehrenb.*
spirogyra *Ehrenb*..... 565
var. major *Claassen*..... 565
var. suprema *Skuja*..... 565

PAGE

Eunotia *Ehrenb*..... 604
alpina (*Näg.*) *Hust*..... 604
exigua (*Bréb.*) *Grun*..... 604
garusica *Chy*..... 604
lunaris (*E.*) *Grun*..... 604
var. subarcuata (*Näg.*) *Grun*.. 604
mogolensis *Chy*..... 604
montana *Hust*..... 604
pectinalis (*Kg.*) *Rabh*..... 604
var. minor (*Kg.*) *Rabh*..... 604
porcellus *Chy*..... 604
praerupta *E*..... 604
var. inflata *Grun*..... 604
pseudoflexuosa *Hust*..... 604
subaequalis *Hust*..... 604
tenella (*Grun.*) *Hust*..... 604
tschirchiana *O.M*..... 604
zygodon *E*..... 604
var. elongata *Hust*..... 604
EUPHORBIACEAE..... 28
Euphorbia
confinalis *R. A. Dyer*..... 28
cussonioides *Bally*.....29, 30, 39
obovalifolia *A. Rich*..... 29
rowlandii *R. A. Dyer*.....28, 38
waterbergensis *R. A. Dyer*..... 28
Eustachys..... 314
EUTRITICINAE..... 3
Exacum hyssopifolium Willd.....462, 463
verticillatum (L.) Willd..... 463
Exochoenium Griseb..... 464
Faurea galpinii..... 42
Festuca.....2, 313
FESTUCEAE.....3, 311, 313
FESTUCIFORMES..... 5, 6
FESTUCINAE..... 1
FESTUCOIDEAE..... 1–10
Fingerhuthia *Nees*.....2, 7, 299, 300, 314
Flora Zambesiaca Vol. 1 Part 1..... 667
Fragilaria *Lyngbye*
capucina *Desm*..... 604
var. acuta *Grun*..... 604
fonticola *Hust*..... 604
ungeriana *Grun*..... 604
Freshwater Algae of the Transvaal Province —A Contribution to Our Knowledge of the.....559–666
Frustulia *Agardh*..... 605
rhomboides (*E.*) *de Toni*..... 605
var. saxonica (*Rabh.*) *de Toni*.. 605
vulgaris (*Thw.*) *de Toni*..... 605
var. angusta *Chy*..... 605
Fungi—Studies of Woodrotting..... 83
Fungus causing Anthracnose of Olives in South Africa.....769–778
Gambeya Pierre.....327–340
Ganoderma colossum (*Fr.*) *Bres*....87, 101, 104
GENTIANACEAE.....458, 464
Gentiana verticillata L.f..... 462
Geranium ovale..... 427
GESNERIACEAE.....457–465
Gilgiochloa..... 3
Gladiolus junceus..... 427
Gloeosporium..... 769
fructigenum.....776–778
forma chromogenum....777–778
forma limetticolum..... 778
forma olivarum..... 777

PAGE

Glomerella cingulata (*Stoneman*) *Sp. & U. Schr*.....770, 773–776
var. brevispora
var. crassispora
Glyceria..... 26
GLYCERIINAE..... 2
Glycine javanica *L*...224, 234, 498, 501, 508
max (*L.*) *Merr*..209, 234, 284, 498, 501, 508, 528, 533, 538, 542
Gnaphalium spathulatum (" spatulatum ") 427
Gomphonema *Agardh*..... 609
acuminatum *E.*
var. turris (*E.*) *Cl*..... 609
augur *E*..... 609
clevei *Fricke*..... 609
constrictum *E*..... 609
gracile *E*..... 609
var. lanceolatum (*Kg.*) *Cl* 609
lanceolatum *E*..... 609
parvulum (*Kg.*) *Grun*..... 609
var. lagenula (*Grun.*) *Hust* 609
subtile *E*..... 609
Gonatozygon monotaenium *De Bary*..... 567
Gorter, G. J. M. A. The Identity of the Fungus causing Anthracnose of Olives in South Africa.....769–778
GRAMINEAE.....467, 480, 417, 422
Grandinia *Fries*..... 158
muscicola (Pers.) Bres. apud Bourd & Galz..... 158
rosea *P. Hennings*..... 158
Grass Genera—Leaf Anatomy of Six South African—J. M. J. de Wet.....299–301
Gymnosporia acanthophora Loes..... 386
acuminata Szyszyl..... 383
albata Sim..... 383
angularis Sim..... 385
var. *grandiflora* Davison.. 385
var. *orbiculata* Davison.. 385
angustifolia Loes..... 383
bachmannii Loes..... 384
botsabelensis Loes..... 384
buxifolia Szyszyl..... 385
condensata Sprague..... 385
crataegiflora Davison..... 385
crenulata Engl..... 386
deflexa Sprague..... 383
dinteri Loes..... 384
elliptica Schonl..... 385
eremoecusa Loes..... 385
fasciculata Loes..... 383
filiformis Davison..... 384
heterophylla Loes..... 385
ilicina Loes..... 383
integrifolia (L.f.) Glover..... 386
lanceolata Loes..... 384
laurina Szyszyl..... 383
linearis Loes..... 384
lucida Loes..... 383
monococca Loes..... 383
mossambicensis Loes..... 385
nemorosa Szyszyl..... 385
peduncularis Loes..... 384
peglerae Davison..... 383
polyacantha Szyszyl..... 384
procumbens Loes..... 383
rehmannii Szyszyl..... 383
rubra Loes..... 385

PAGE

Gymnosporia saxatilis (Burch.) Davison.. 386
schlechteri Loes..... 386
senegalensis Loes..... 384
tenuispina Szyszyl..... 384
undata Szyszyl..... 383
uniflora Davison..... 385
vaccinifolia Conrath..... 384
woodii Szyszyl..... 385
zeyheri Szyszyl..... 383
Gyrosigma *Hassal*..... 605
kützingii (*Grun.*) *Cl*..... 605
spenceri (*W. Sw.*) *Cl*..... 605
var. nodifera *Grun*..... 605
Hantzschia *Grunow*..... 609
amphioxys (*E.*) *Grun*..... 609
var. africana *Hust*..... 609
forma minuta *Chy*..... 609
var. intermedia *Grun*..... 609
var. vivax (*Hantzsch*) *Grun*.. 609
Harpechloa..... 314
Hartwegia Nees..... 690
comosa (Thunb.) Nees..... 699
Heeria argentea (*Thunb.*) *Meisn*..... 326
Helichrysum..... 22
albirosulatum *Killick*..... 22
album *N.E. Br*.....414, 415
drakensbergense *Killick*..... 23
flanaganii *Bolus*..... 22
marginatum *DC*..... 415
milfordiae *Killick*..... 414
Helicosporium aureum (*Corda*) *Linder*.... 110
Helictotrichon..... 313
Hemarthria..... 314
Henrardia..... 3
HENRARDIINAE..... 3
Heterochaete *Patouillard*..... 132
byliana *Talbot*..... 132
grandispora *Talbot*..... 133
Heteropogon..... 314
Hippion hyssopifolium (Willd.) Spreng.... 462
Hippionum verticillatum O. Ktze..... 463
Holcus..... 313
HOMOBASIDIOMYCETAE..... 161
HORDEAE.....311, 313
Hyalodema evansii P. Magnus..... 137
Hydnum bicolor Alb. & Schw. ex Fr..... 157
muscicola Pers..... 158
pinastri Fries..... 154
Hymenochaete *Léveille*.....147, 155, 166
dregeana (Berk.) Massee..... 155
fasciculata..... 166
fulva Burt sensu Doidge..... 155
fusco-violascens (Mont.) van der Byl..... 155
luteobadia (*Fr.*) *Höhnel & Litsch* 139, 155, 156, 166
nigricans (*Lév.*) *Bresadola*....156, 166
ochromarginata *Talbot*.....156, 166
rubiginosa (Dicks. ex Fr.) Lév. sensu Doidge..... 156
semistupposa..... 166
spadica Berk..... 156
tabacina (Sow. ex Fr.) Lév. sensu Doidge..... 157
tenuissima Berk. sensu Doidge.. 157
tristicula (B. & Br.) Massee.... 157

PAGE

Hyparrhenia 314
Hypochnus Fries 165
cucumeris Frank 134
eylesii van der Byl 146, 155
filamentosus Pat 136
puniceus (A. & S. ex Fr.) Saccardo 154
solani Prill. & Delacr 134
HYPOXIDACEAE 480
Imbricaria obovata N. ab E. ex Sond 358
Imperata 314
Inga sericocephala A. Rich 70
Inhambanella (Engl.) Dub 343, 347, 348
henriquesii (Engl. et Warb.) Dub 344
natalensis (Schinz) Dub 351
Ipomoea 27
aquatica *Forsk* 27
biloba *Forsk* 27
bisavium *A. Meeuse* 26
heterosepala *Bak* 27
Irpex dregeanus (*Berk.*) *Talbot* 155, 159
vellereus *B. & Br* 159
Ischaemum 314
Ischnurus 2
Jasminum breviflorum *Harv.* ex *Wright*–
lectotype of 15
gerrardii 15
Jasminonerium bispinosum (L.) O. Ktze 450
Jouvea 7
Justicia lorteae *Rendle* 407
minima *A. Meeuse* 407
montis-salinarum *A. Meeuse* 407
odora *Vahl* 407
orchioides *L.f.* 407
phillipseae *Rendle* 407
spergulifolia sensu C. B. Clarke 407
Kaokochloa *de Winter* 479
nigrirostis *de Winter* 480
Kellaua schimperi A. DC 405
Killick, D. J. B. South African Species of Satureia 435–437
Klesser, Patricia J. The Virus Diseases of Beans 521–558
Klesser, Patricia J. Virus Diseases of Broad Beans 283–294
Klesser, Patricia J. Virus Diseases of Cowpeas 233–257
Klesser, P. J. The Virus Diseases of Crotalaria, Glycine and Medicago Species 497–519
Klesser, Patricia J. Virus Diseases in Peas and Sweet Peas 253–282
Kniphofia—Chromosome Morphology in, by J. M. J. de Wet 295–297
bachmanii *Bak* 296
baurii *Bak* 296
caulescens *Bak* 296
conrathii Bak 296
ensifolia *Bak* 296
var. *albiflora* E. A. Bruce 296
ichopensis *Schinz* 296
macowanii *Bak* 296
multiflora *Bak* 296
obtusiloba *Diels ex Berger* 296
porphyrantha *Bak* 296
praecox *Bak* 296
rhodesiana *Rendle* 296
rigidifolia *E. A. Bruce* 296

PAGE

Kniphofia *rivularis* Berger 296
rooperi (*Moore*) *Lam* 296
rufa *Bak* 296
splendida *E. A. Bruce* 296
tuckii *Bak* 296
tysonii *Bak* 296
uvaria (*L.*) *Hook* 296
Koeleria 313
LABIATAE—South African, by L. E. Codd 429
Labourdonnaisia Boj. ex parte 376
discolor Sond 376, 377
Lachnopylis Hochst 13, 14
glomerulata C. A. Sm 14
suaveolens C. A. Sm 14
Laeticorticium *Donk* 160
polygonioides (*Karst.*) *Donk* 160
roseum (*Pers. ex Fr.*) *Donk* 160
Lamarckia 2
Lasiochloa *Kunth*. 1, 299, 300, 311, 314, 315
Lathyrus odoratus *L.* 209, 234 284, 498, 501, 508, 524, 528, 533, 538, 542,
Laxitextum 160
bicolor (*Pers. ex Fr.*) *Lentz* 160
crassum (*Lév.*) *Lentz* 160
Lecomtedoxa (*Engl.*) *Dub* 318, 321, 343
henriquesii (*Engl. et Warb.*) *A. Meeuse* 344, 365
klainiana (*Pierre ex Engl.*) *Dub* 343, 365
Leersia 4
LEGUMINOSAE 67
Lentinus sajor-caju *Fr.* 88, 89, 101, 104
Lenzites palisoti *Fr* 89, 104
Lepinema verticilata Raf 462
Leptaspis 4
Leptocarydion 314
Lepturus 2
LILIACEAE 295, 481
Limeum aethiopicum 427, 428
Limonium *Mill.*
amoenum (*C. H. Wright*) *R. A. Dyer* 489
anthericoides (*Schltr.*) *R. A. Dyer* 490
avenaceum (C. H. Wright) R. A. Dyer 491
corymbulosum (Boiss.) O.K. 491
decumbens (*Boiss.*) *O.K.* 489
depauperatum *R. A. Dyer* 490
dregeanum (*Presl.*) *O.K.* 488
equisetum (*Boiss.*) *R. A. Dyer* 489
fergusonae L. Bol 490
foliosum *R. A. Dyer* 490
linifolium (*L.f.*) *O.K.* 490
var. linifolium 490
var. maritinum (*E. & Z. ex Boiss.*) *R. A. Dyer* 490
longifolium (*Thunb.*) *R. A. Dyer* 490
kraussianum (*Buch. ex Krauss*) *O.K.* 489
membranaceum *R. A. Dyer* 490
pedicellatum (Wallr. ex Boiss.) O.K. 489
penicillatum Adamson 491
perigrinum (*Bergius*) *R. A. Dyer* 491
var. avenaceum (*C. H. Wright*) *R. A. Dyer* 491

PAGE

Limonium scabrum (*Thunb.*) *O.K.* var. corymbulosum (*Boiss.*) *R. A. Dyer* ... 491
var. scabrum ... 491
Lintonia ... 1
Liriothamnus Schltr. ... 711, 712, 717, 720
adamsonii Compton ... 720
involucratus (Bak.) Schltr. ... 721
Lithachne ... 4
Lobelia volubilis ... 427, 428
Loewia thomasii (Urb.) Lewis ... 493, 496
LOGANIACEAE (in South Africa) ... 11–14
Lolium ... 2
LOLIINAE ... 2
Lophacme ... 314
Lopharia *Kalchbr. & MacOwan* ... 160
Lophatherum ... 3
Loudetia ... 3, 314
Lucerne (Alfalfa) Mosaic Viruses ... 508
Lucerne Mosaic Virus ... 508
Glycine Strain ... 508
Necrotic Strain ... 508
Necrotic Ring Strain ... 262
Lucuma Molina ... 332
Lupin Virus A ... 209
Virus B ... 212, 547
Virus C ... 216
Lupins—Virus Diseases of, by Patricia J. Klesser ... 207, 232
Lupinus affinis *L.* ... 208
albus *L.* . 209, 234, 284, 498, 533, 538, 542
var. Bitter ... 209, 234, 524
var. Sweet ... 209, 234, 524
angustifolius *L.* ... 209
luteus *L.* ... 209, 234, 284, 528
mutabilis *L.* . 209, 234, 284, 498, 501, 508, 524, 528, 533, 538, 542
virus 1 ... 207
Lycium cordatum Mill. ... 450
Lygaeum sparteum ... 4
LYGEAE ... 6, 7
Lyngbya *Ag.* ... 565
uliginosa *Claassen* ... 565
Mahea Pierre ... 376
natalensis (Pierre) Engl. ... 318, 377
MALVACEAE ... 483
Manilkara *Adans* emend. *Gilly* . . 318, 321, 349, 350, 365
concolor (*Harv. ex Wright*) *Gerstner* ... 367, 370
concolor [sphalm. (" E. Mey.") Gerstner] ... 367, 370, 373
cuneifolia (*Bak.*) *Dubard* ... 365
densiflora Dale ex Bren. & Greenway ... 369
"*densiflora* Engl." ... 369
densiflora (Engl.) H. J Lam ... 369
fischeri (Engl.) Lam ... 369
kauki (*L.*) *Dub.* ... 366
macaulayae (*Hutch. & Corb.*) *H. J. Lam* ... 365, 370, 373
menyhartii (Engl.) H. J. Lam . . 369
mochisa (*Bak.*) *Dub.* . 369, 370, 373
multinervis (*Bak.*) *Dub.* ... 365
spiculosa (Hutch. & Corb.) H. J. Lam ... 373
umbraculigera (Hutch. & Corb.) H. J. Lam ... 373

PAGE

Manilkara zanzibarensis (*Engl.*) *Dub* ... 365, 367
Marais, W. An Enumeration of the Maytenus Species of Southern Africa ... 381–386
Maytenus—An Enumeration of Species of Southern Africa ... 381–386
Maytenus *H.B.K.* ... 381
acuminatus (*L.f.*) *Loes.* ... 383
angustifolius Loes ... 383
bachmannii (*Loes.*) *Marais* ... 384
buxifolius *Griseb.* ... 385
capitatus (*E. Mey. ex Sond.*) *Marais* ... 384
cordatus Loes ... 384
cymosus (*Soland.*) *Exell.* ... 385
ellipticus *Krug. & Urb. ex Duss.* 385
fasciculatus Loes ... 383
ilicinus Loes ... 383
linearis (*L.f.*) *Marais* ... 384
lucidus (*L.*) *Loes.* ... 383
monococcus Loes ... 383
mossambicensis (*Klotzsch*) *Blakelock*
var. mossambicensis ... 385
var. ruber (*Harv.*) *Blakelock* . . 385
nemorosus (*E. & Z.*) *Marais* . . 385
oleoides (*Lam.*) *Loes.* ... 383
peduncularis (*Sond.*) *Loes.* ... 384
polyacanthus (*Sond.*) *Marais* . . 384
procumbens (*L.f.*) *Loes.* ... 383
rudatisii (*Loes.*) *Loes.* ... 386
senegalensis (*Lam.*) *Exell.* ... 384
tenuispinus (*Sond.*) *Marais* ... 384
undatus (*Thunb.*) *Blakelock* ... 383
zeyheri Loes. ... 383
Medicago lupulina *L.* . 209, 234, 284, 498, 501, 508, 524, 528, 533, 538, 542
sativa *L.* ... 212, 234, 501, 508, 524
Meeuse, A. D. J. Notes on the Sapotaceae of Southern Africa ... 317–379
Meeuse, A. D. J. and de Wet, J. M. J. Ruttyruspolia, a Natural Intergeneric Hybrid in Acanthaceae ... 439–441
Melia ... 6
Melica ... 2, 313
MELIACEAE ... 313
MELICINAE ... 2
Melilotus officinalis *Willd.* . 209, 234, 284, 498, 501, 508, 524, 528, 533, 538, 542
Melinis ... 314
Melosira *Agardh* ... 603
granulata (*E.*) *Ralfs* ... 603
nyassensis *O.M.* ... 603
roesana *Rabh.* ... 603
Menodora juncea ... 15
Merismopedia *Meyen* ... 563
convoluta *Bréb.* ... 563
glauca (*Ehrenb.*) *Nag.* ... 563
punctata *Meyen* ... 563
Merremia ampelophylla *Hallier f.* ... 415
bipinnipartita (*Engl.*) *Hallier f.* 415
guerichiana Engl. ex Hallier f. . 415–417
guerichii *A. Meeuse* ... 415
quercifolia *Hallier f.* ... 415
Merulius *Haller ex Fries* ... 152
confluens *Schweinitz* ... 152
confluens sensu Nel. ... 152
corium (*Pers. ex Fr.*) *Fr.* ... 152, 164

PAGE

Merulius *fugax* sensu Burt 153
gelatinosus 165
himantioides 153, 165
lacrymans *Wulf. ex Fries* 152, 164
laeticolor Berk. & Fries 153
molluscus *Fries* 153, 164
pinastri (*Fr.*) *Burt* 154
pinastri sensu Doidge 154
rufus *Pers. ex Fries* 154
rufus sensu Doidge 154
serpens *Tode ex Fries* 154
serpens sensu Doidge 154
strigoso-zonata Schw 143
tremellosus *Schrad. ex Fries* 154
tremellosus sensu Doidge 154
MICRAIREAE 6
Micrasterias *Ag* 584
americana (*Ehrenb.*) *Ralfs* 584
var. transvaalensis *Claassen* 584
apiculata (*Ehrenb.*) *Menegh* 584
conferta *Lund* 586
crux-melitensis (*Ehrenb.*) *Hass* 584, 614
var. evoluta *W. B. Turner* 585
var. transvaalensis *Claassen* 585
decemdentata (*Näg.*) *Arch* 585
var. galpinii *Claassen* 585
denticulata *Bréb* 585
var. africana *Claassen* 585
var. angustosinuata *Gay* 585
var. subnotata *West* 585
forma cornuta *Claassen* 585
groenewaldii *Claassen* 586
mahabuleshwarensis *Hobson* 586
var. tetracerum *W. & G. S. West* 586
var. transvaalensis *Claassen* 586
var. wallichii (*Grun.*) *W & G. S. West* 586
nylstromica *Claassen* 586
pinnatifida (*Kütz.*) *Ralfs* 587
var. divisa *W. West* 587
forma major *Schmidle* 587
var. transvaalensis *Claassen* 587
sol (*Ehrenb.*) *Kütz* 587
tropica *Nordst* 587
var. elongata *Schmidle* 587
var. elongatissima *Claassen* 587
truncata (*Corda*) *Bréb* 587
var. africana *Fritsch & Rich* 587
var. minor *Claassen* 588
Microchloa 314
Microlaena 3
Micromeria 435
biflora (Buch. Hamilt. ex D. Don) Benth 435
grandiflora Killick 435
ovata Benth 436
pilosa Benth 436
purtschelleri Guerke 436
schimperi Vatke 436

PAGE

Mimosa adianthifolia (Schum.) W. F. Wight 79
distachya Vent 81
lebbeck L 81
lebbek Forsk 81
MIMUSOPOIDEA *H. J. Lam* 347
Mimusops *L* 321, 349, 350, 355
sensu *Engl* 318
subgenus *Lecomtedoxa* Pierre ex Engl 343
„ *Quaternaria* sect. *Inhambella* Eng 343
„ *Ternaria* (A. DC.) Engl. sect. *Euternaria* Engl 376
section *Muriea* Hartog 376
ex parte sensu *Wright Phillips* 376
altissima Engl 364, 379
angolensis Engl 364
buchananii Engl 364, 379
caffra *E. Mey. ex A. DC* 317, 356, 358
concolor Harv. ex Wright 364
cuneata Engl 355, 365
cuneifolia Bak 365
densiflora Bak 365
discolor (Sond.) Hartog 344, 365
dispar N. E. Br 365
elengi *L* 355, 365
fischeri (Engl.) Engl 365, 369, 372
henriquesiana Sim 365
henriquesii Engl. & Warb. 344, 348, 365
" *henriquezii* " sphalm 344
kauki L 355
kirkii Bak 361
klainiana Pierre ex Engl 343, 365
" *kleiniana* " sphalm. in text 343
macaulayae Hutch. & Corb 365
marginata N. E. Br 365
menyhartii Engl 365
mochisia Bak 365
natalensis (Pierre) Engl. 318, 365, 377
natalensis Schinz 348, 365
natalensis Schinz sensu Wright 365, 377
obovata *Sond* 358, 361
oleifolia N. E. Br 361
revoluta Hochst. ex Krauss 356, 358
schinzii Engl 365, 377
spiculosa (Hutch. & Corb.) H. J. Lam 365, 373
sylvestris S. Moore 354, 365
" *transvaalensis* " Schinz (sphalm.) ex Radl. (recte *natalensis*) 351, 365
umbraculigera Hutch. & Corb. 365, 375
welwitschii Engl 365
woodii Engl 358, 361, 365
zanzibarensis Engl 365, 367
zeyheri *Sond* 361
var. *laurifolia* Engl 361
Miscanthidium 315
Monanthochloe 3
MONANTHOCHLOINAE 3
Monechma namaense *C. B. Clarke* 407
Monelytrum 313
MONERMEAE 3
Monocymbium 315
Mosdenia 313

PAGE

Muriea *Hartog*..... 376
discolor (*Sond.*) *Hartog*..364, 365, 370, 376, 379
Myrsine querimbensis Klotsch..... 323
NARDEAE..... 6, 7
Narthecium..... 669
Navicula *Bory*..... 606
acidophila *Chy*..... 606
anglica *Ralfs*..... 606
bryophila *Petersen*..... 606
cari *E*..... 606
var. angusta *Grun*..... 606
cincta (*E.*) *Kg*..... 606
cinctaeformis *Hust*..... 606
confervacea *Kg*..... 606
cryptocephala *Kg*..... 606
var. intermedia *Grun*..... 606
var. veneta (*Kg.*) *Grun*..... 606
cuspidata *Kg*..... 606
var. ambigua (*E.*) *Cl*..... 606
dicephala (*E.*) *W. Sm*..... 606
var. neglecta (*Krasske*) *Hust*.. 606
elaborata *Hust*..... 606
exigua (*Greg.*) *O.M.*..... 606
exiguiformis *Hust*..... 606
gastrum *E*..... 606
graciloides *A. Mayer*..... 606
gregaria *Donk*..... 606
gregarioides *Chy*..... 606
grimmei *Krasske*..... 606
hungarica *Grun*..... 606
var. capitata (*E.*) *Cl*..... 606
krasskei *Hust*..... 606
lanceolata (*Ag.*) *Kg*..... 606
longicephala *Hust*..... 606
mengeae *Chy*..... 606
menisculus *Schum*..... 607
microcephala *Grun*..... 607
minima *Grun*..... 607
var. atomoides (*Grun.*) *Cl*..... 607
minuscula *Grun*..... 607
muralis *Grun*..... 607
mutica *Kg*..... 607
forma cohnii (*Hilse*) *Hust*..... 607
var. nivalis (*E.*) *Hust*..... 607
var. pseudolagerheimii *Chy*.... 607
nyassensis *O.M.*..... 607
var. capitata *O.M.*..... 607
perpusilla *Grun*..... 607
pupula *Kg*..... 607
var. capitata *Hust*..... 607
var. rectangularis (*Greg.*) *Grun*. 607
pygmaea *Kg*..... 607
radiosa *Kg*..... 607
var. tenella (*Bréb.*) *Grun*..... 607
rhynchocephala *Kg*..... 607
ruttneri *Hust*..... 607
schroeteri *Meister*..... 607
seminuloides *Hust*..... 607
var. sumatrana *Hust*..... 607
seminulum *Grun*..... 607
simplex *Krasske*..... 607
var. minor *Chy*..... 607
subtilissima *Cl*..... 607
suecorum *Carlson*..... 607
tenelloides *Hust*..... 607
terrestris *Petersen*..... 607
tridentula *Krasske*..... 607

PAGE

Navicula viridula *Kg*..... 607
var. linearis *Hust*..... 607
var. rostellata (*Kg.*) *Cl*..... 607
vulpina *Kg*..... 607
zanoni *Hust*..... 607
Neidium *Pfitzer*..... 605
affine (*E.*) *Cl*..... 605
var. amphirhynchus (*E.*) *Cl*.. 605
var. longiceps (*Greg.*) *Cl*..... 605
gracile *Hust*..... 605
forma aequale *Hust*..... 605
iridis (*E.*) *Cl*..... 605
var. amphigomphus (*E.*) *van Heurck*..... 605
var. ampliata (*E.*) *Cl*..... 605
javanicum *Hust*..... 605
productum (*W. Sm.*) *Cl*..... 605
Nephelochloa..... 2
Nerium obesum Forsk..... 452
Netrium *Näg*..... 566
digitus (*Ehrenb.*) *Itzigs. & Rothe* 566
oblongum (*de Bary*) *Lutkem*.... 566
var. cylindricum *W. & G. S. West*..... 566
Nicotiana glutinosa *L*.....215, 509
Nitzschia *Hassal*..... 609
accomodata *Hust*..... 609
amphibia *Grun*..... 609
capitellata *Grun*..... 609
claasseniae *Chy*..... 609
clausii *Hantzsch*..... 610
confinis *Hust*..... 610
debilis (*Arnott*) *Grun*..... 610
denticula *Grun*..... 610
diserta *Hust*..... 610
dissipata (*Kg.*) *Grun*..... 610
fonticola *Grun*..... 610
frustulum (*Kg.*) *Grun*..... 610
var. perpusilla (*Rabh.*) *Grun*.. 610
goetzeana *O.M.*..... 610
kützingiana *Hilse*..... 610
linearis (*Ag.*) *W. Sm*..... 609
palea (*Kg.*) *W. Sm*..... 610
var. tropica *Host*..... 610
perminuta *Grun*..... 610
pseudobacata *Chy*..... 610
purvuloides *Chy*..... 610
recta *Hantzsch*..... 610
romana *Grun*..... 610
sigma (*Kg.*) *W. Sm*..... 610
subadapta *Chy*..... 610
subcommunis *Hust*..... 610
subvitrea *Hust*..... 610
tarda *Hust*..... 610
transvaalensis *Chy*..... 610
tropica *Hust*..... 610
tryblionella *Hantzsch*..... 610
var. levidensis (*W. Sm.*) *Grun* 610
von-hauseniae *Chy*..... 610
Nostoc *Vaucher*..... 563
commune *Vaucher*..... 563
gelatinosum *Schousboe*..... 564
muscorum *Kütz*..... 563
nylstromicum *Claassen*..... 563
pseudogelatinosum *Claassen*..... 564
Notes and New Records of African Flowering Plants.....407, 443
Notochloa..... 2

PAGE

Notosceptrum natalense *Bak*..... 296
Nuxia *Lam*..... 13
Reasons for Again Reducing the Genus Lachnophylis to—..... 13–14
congesta *Fres*..... 14
glomerulata (*C. A. Sm.*) *Verdoorn*.. 14
verticillata..... 14
Obermeyer, A. A. A Revision of the South African Species of Antericum, Chlorophytum and Trachyandra..... 669
Odontia *Pers. ex S. F. Gray*..... 157
bicolor (*Alb. & Schw. ex Fr.*) *Bresadola*..... 157
brinkmanni Bres..... 159
Odyssea..... 314
Oedogonium *Link*..... 611
boyanum *Claassen*..... 611
crassum *Wittr. sec. Hirn*.... 612
fragile *Wittr. sec. Hirn*..... 612
intermedium *Wittr. sec. Hirn* 612
mattiei *Claassen*..... 612
mesianum *Claassen*..... 612
pseudofragile *Claassen*..... 612
subintermedium *Claassen*... 612
subvaucherii *Claassen*..... 612
varians *Wittr. & Lund. sec. Hirn*..... 612
vaucherii *A. Braun sec. Hirn* 612
zig-zag *Cleve sec. Hirn*.... 612
Olea enervis..... 12
OLEACEAE..... 15
Olyra..... 4
OLYREAE.....4, 5, 7
OLYROIDEAE..... 7
Ononis prostata.....427, 428
strigosa.....427, 428
Onychonema *G. C. Wallich*..... 603
laeve *Nordst*..... 603
var. micracanthum *Nordst* 603
sp..... 603
Oplismenus..... 314
Orcutia..... 2
Ornithogalum.....482, 690, 711
caudatum Jacq..... 482
filibracteatum Oberm..... 482
leptophyllum *Bak*..... 690
longibracteatum Jacq..... 482
longiscapum *Bak*..... 711
pulchrum *Schinz*..... 482
seineri (*Engl. & Krause*) *Oberm* 481, 690
wilmaniae Leight..... 482
zeyheri *Bak*..... 690
Orobanche capensis..... 427
ORYZEAE..... 6
Oscillatoria *Vaucher*..... 564
annae *van Goor*..... 565
nylstromica *Claassen*..... 564
princeps *Vaucher*..... 565
pristleyi *W. & G. S. West*..... 565
simplicissima *Gom*..... 565
subpristleyi *Claassen*..... 565
tenuis *Ag*..... 565
waterbergensis *Claassen*..... 565
Osteospermum incanum..... 427
Othonna linifolia.....427, 428
Olive, Anthracnose, Fungi.....769–778

PAGE

Pachypodium bispinosum (*L.f.*) *A. DC*..... 453
succulentum (*L.f.*) *A. DC*..... 453
Pachystela Pierre ex Engl..... 332
argyrophylla (Hiern) H. Lec.... 335
brevipes (Bak.) Baill. nom. nud. 334, 335
brevipes (Bak.) Engl...334, 335, 341
cinerea (Engl.) Pierre ex Engl.. 334
magalismontana (Sond.) H. Lec. 335
msolo (Engl.) Engl..... 341
PANICIFORMES..... 5
PANICEAE..... 314
PANICOIDEAE..... 5
Panicum..... 314
hippothrix *K. Schum*..... 421
obscurans (*Woodr.*) *Stapf*..... 420
volutans *J. G. Anderson*..... 420
PAPPOPHOREAE.....4, 7, 313
PARIANEAE..... 7
Paspalum..... 314
Pavonia..... 487
clathrata Mast..... 487
commutata Conr..... 487
schumanniana Gürke..... 487
var. *parviflora* Schinz..... 487
var. *transvaalensis* Ulbr..... 487
transvaalensis (*Ulbr.*) *A. Meeuse*.. 487
Pea Mosaic Doolittle & Jones..... 254
Pea Mosaic Virus H. Zaumeyer..... 221
Pea Stunt Virus Zaumeyer..... 257
Pea Virus 2 Osborn..... 256
Pea Wilt-Virus-New Strain..... 259
Pea Wilt Virus Strain..... 547
Peas and Sweet Peas–Virus Diseases of, by Patricia J. Klesser.....253–282
Pediastrum *Meyen*..... 611
boryanum (*Turpin*) *Menegh*.. 611
var. forcipatum *Racib*..... 611
var. granulatum (*Kütz.*) *Al Braun*..... 611
var. longicorne *Reinsch*.... 611
var. minor *Claassen*..... 611
duplex *Meyen*..... 611
var. reticulatum *Lagerheim* 611
forma cohaerens *Bohlin*.... 611
tetras (*Ehrenb.*) *Ralfs*..... 611
forma evoluta *West*..... 611
var. excisum *Rabenh*..... 611
Pellicularia *Cooke* sensu *Rogers*..... 169
asperula *Rogers*.....137, 169
filamentosa (*Pat.*) *Rogers*..134, 136, 146, 169
fodinarum *Talbot & Green*..135, 146
vaga (*B. & C.*) *Rogers ex Linder* 135, 146
Peniophora *Cooke*..... 147
arenata *Talbot*..... 171
aspera (*Pers.*) *Sacc*..... 170
carnosa *Burt*..... 147
carnosa sensu Doidge..... 147
chordalis Höhn. & Litsch..... 150
cinerea (*Pers. ex Fr.*) *Cooke*... 147
cremea *Bres*..... 147
cremea sensu Doidge..... 147
filamentosa (B. & C.) Burt.... 170
gigantea (*Fr.*) *Massee*..... 171
glebulosa Bres 147, 148

PAGE

Peniophora gracillima *Ell. & Everh. ex Rogers*.....147, 148, 171
incarnata (*Pers. ex Fr.*) *Karst*.. 148
incarnata sensu Doidge..... 148
longispora (*Pat.*) *Höhnel*....149, 171
var. brachyspora *Talbot & Green*.....148, fig. 26
nuda (*Fries*) *Bresadola*..... 149
papyrina (*Mont.*) *Cooke*..... 149
pelliculosa *Talbot*..... 171
pruinata (*B. & C.*) *Burt*..... 150
pruinata sensu Doidge..... 150
pruinosa (*Pat.*) *Jackson*..150, 170 fig. 30
rimicola (*Karst.*) *Höhnel*....151, 170
roumeguerii *Bres*....147, 152, 171
soraria *G. H. Gunn*
subgelatinosa *Litsch*..150 fig. 27
tenuis (*Pat.*) *Massee*.....151, 171
velutina (*DC. ex Fr.*) *Cooke*.. 152
velutina sensu Doidge..... 152
Penium *Bréb.*
barbaricum *Claassen*..... 567
cruciferum (*de Bary*) *Wittr*..... 567
cucurbitinum *Biss*.....567, 569
forma botesii *Claassen*..... 567
forma minor *West*..... 567
curtum *Bréb*..... 568
var. waterbergense *Claassen*.... 568
jenneri *Ralfs*..... 568
var. interruptum *W. & G. S. West*..... 568
libellula (*Focke*) *Nordst*..... 568
var. schweickerdtii *Claassen*.... 568
margaritaceum (*Ehrenb.*) *Bréb*.... 568
var. brevior *Claassen*..... 568
var. incognitum *Claassen*..... 568
mesianum *Claassen*..... 569
navicula *Bréb*..... 569
phymatosporum *Nordst*..... 569
pseudorufescens *Claassen*..... 569
subcucurbitinum *Claassen*..... 569
Pentameris..... 313
Pentaschistis..... 313
Perotis..... 313
Petalidium linifolium *T. Anders*.....409, 410
lucens *Oberm*.....409, 410
luteo-album *A. Meeuse*..... 409
Peziza cornucopioides Linn..... 117
Phacus *Dujardin*..... 566
pleuronectes (*O.F.M.*) *Duj*..... 566
Phaeophlebia strigoso-zonata (Schw.) W. B. Cooke..... 143
Phalangium Kunth.....669, 670
aethiopicum ramosum, floribus albis, petalis reflexis Commelin..... 737
bipedunculatum (Jacq.) Poir.. 706
canaliculatum (Ait.) Poir..... 734
comosum (Thunb.) Poir..... 699
elatum (Ait.) Redouté..... 694
"*fasciculatum*" Bak..... 694
fastigiatum Poir..... 694
longifolium (Jacq.) Poir..... 734
pedunculatum Bak..... 706
revolutum (L.) Poir..... 737
squameum (L.f.) Poir..... 732
triflorum (Ait.) Pers..... 706

PAGE

Phalangium undulatum (Jacq.) Poir..... 708
vespertinum (Jacq.) Poir..... 734
viviparum Hort..... 699
PHALARIDEAE.....3, 311, 313
Phalaris..... 313
PHAREAE..... 5, 7
Pharus..... 4, 5
Phaseolus acutifolius *Gray*..... 211
var. latifolius *Freem*..209, 211, 234, 284, 498, 501, 508, 522, 524, 528, 533, 538, 542
capensis..... 427
lunatus *L*..209, 234, 284, 498, 501, 509, 522, 524, 528, 533, 538, 542
mungo *L*..218, 234, 284, 498, 501, 509, 528, 533, 538, 542
vulgaris *L*..209, 234, 284, 498, 509, 524, 528, 533, 538, 542
var. Black wonder..... 211
var. Canadian Wonder..... 207
var. Haricot..... 211
var. Idaho Refugee..... 211
var. Long Tom..... 211
var. S. A. Black..... 211
var. Tendergreen..... 211
var. Victor..... 211
Phlebia strigoso-zonata (Schw.) Lloyd..... 143
Pholiurus..... 2
Phragmites..... 313
PHRAGMITIFORMES..... 5, 7
PHYLLORACHIEAE..... 4, 7
Pinnularia *Ehrenb*..... 607
acoricola *Hust*..... 607
acrosphaeria *Bréb*..... 607
var. controversa *Chy*..... 607
amaniensis *Hust*..... 607
borealis *E*..... 607
braunii (*Grun.*) *Cl*..... 607
var. amphicephala (*A. Mayer*) *Hust*..... 607
claasseniae *Chy*..... 607
dactylus *E*..... 607
divergens *W. Sm*..... 607
var. undulata *Hérib. & Perag* 607
dubitalis *Hust*..... 607
gibba *E*..... 608
var. parva (*E.*) *Grun*..... 608
var. sancta *Grun*..... 608
forma subundulata *Mayer*.. 608
graciloides *Hust*..... 608
interrupta *W. Sm*..... 608
var. minutissima *Hust*..... 608
maior (*Kg.*) *Cl*..... 608
mesolepta (*E.*) *W. Sm*..... 608
microstauron (*E.*) *Cl*..... 608
forma biundulata *O.M*..... 608
var. brébissonii (*Kg.*) *Hust*.. 608
ruttneri *Hust*..... 608
subcapitata *Greg*.....
var. hilseana (*Janisch*) *O.M*.. 608
viridis (*Nitzsch*) *E*..... 608
var. sudetica (*Hilse*) *Hust*.... 608
Piptochaetium..... 4
Pisum sativum *L*..209, 234, 284, 498, 501, 509, 522, 524, 528, 533, 538, 542
var. Greenfeast..... 207
Plagiochloa *Adamson & Sprague*..299, 300, 311, 314, 315

PAGE

Planchonella *Pierre* 333
Platygloea opalina *Talbot* 133
Plectrachne 5
Plectranthus caninus Roth 433
neochilus Schltr 432
succulentus Dyer & Bruce 431
thorncroftii S. Moore 430
thunbergii 430
Pleonosporium purpuriferum (Kütz.) de Toni 201
Pleuropogon 2, 6, 7
Pleurotaenium *Näg* 578
basiundatum *W. & G. S. West* 578
caffrorum *Claassen* 578
ehrenbergii (*Bréb.*) *de Bary* 579
var. waterbergense *Claassen* 579
var. undulatum *Schaarschm* 579
maximum (*Reinsch*) *Lund* 579
monoliferum *W. & G. S. West* 580
ovatum *Nordst* 579
pseudoehrenbergii *Claassen* 579
trabeculum (*Ehrenb.*) *Näg* 579
var. angustum *Claassen* 579
var. barbaricum *Claassen* 580
var. brevis *Claassen* 580
var. rectum (*Delp.*) *W. & G. S. West* 580
trochiscum *W. & G. S. West* 580
var. galpinii *Claassen* 580
truncatum (*Bréb.*) *Näg* 580
var. granulatum *West* 580
var. mattiei *Claassen* 580
westiorum *Claassen* 580
Plocandra E. Mey 460
albens E. Mey 460
var. *radicata* E. Mey 460
palustris (Burch.) Griseb 460
var. *foliata* Griseb 460
purpurascens E. Mey 462
PLUMBAGINACEAE 488–491
Poa 2, 313
Poagrostis 2, 313
Pogonarthria 314
Polygala stipulacea 427, 428
Polyporus 90, 101
arcularius *Batsch ex Fries* 90, 101
cinnabarinus 91
sanguineus *Linn. ex Fries* 91, 102, 104, 105
Polystictus 91, 102, 104, 105
hirsutus *Wulf. ex Fries* 91, 102, 104, 105
pubescens 92
zonatus 92
Pommerculla 3
POMMERCULLINAE 3
POOIDEAE 5
Poria vaillantii (*DC.*) *Fries* 92, 102, 106, 107
Porotheleum (*Fr. ex Fr.*) *Fries* 163
incanum 163
Potamophila 4, 313
POUTERIEAE *H. J. Lam* 347

PAGE

Pouteria *Aubl* 321, 332, 341
section *Bakersideroxylon* (Engl.) Baehni 341
adolfi-frederici (*Engl.*) *Meeuse* 341
argyrophylla (Hiern) H. Lec 335
brevipes (*Bak.*) *Baehni* 333, 331
cerasifera (*Welw.*) *A. Meeuse* 344
guyanensis *Aubl* 332
magalismontana (*Sond.*) *A. Meeuse* 326, 330, 335
msolo (*Engl.*) *A. Meeuse* 341
natalensis (*Sond.*) *A. Meeuse* 330, 335, 339
robusta (*Mart. & Eichl.*) *Eyma* 341
tridentata Baehni 342
zenkeri *A. Meeuse* 341
Pretoria National Botanic Garden—the Opening of 391–401
Prionanthium 3
Priva
auricoccea *A. Meeuse* 424
curtisiae *Kobuski* 424, 425
Protea—The Species of the Summer Rainfall Area of South Africa 41–63
Protea *R. Br.* (nom. cons.)
abyssinica Willd 49, 57
angolensis *Welw* 42
baurii Phillips 50, 51
bella *Hauman* 42
bolusii Phillips 51, 52
caffra *Meisn* 49, 50, 52
chionantha *Engl. & Gilg* 42
comptonii *Beard* 42, 61
curvata *N. E. Br* 42, 62
doddii Phillips 55
dracomontana *Beard* ..... 53 tab. 1, 65
flanaganii Phillips 50, 51, 55
gaguedi *Gmel* 41, 42, 57
gaguedi X rhodantha 62
grandiflora *Thunb* 63
hirta *Klotzsch* 41, 58
subsp. glabrescens *Beard* 60
subsp. hirta 59
hirta sensu Phillips 60
hirta X simplex 62
lacticolor *Salisb* 41, 47, 48
lanuginosa K. Schum 45
madiensis *Oliv* 42
multibracteata *Phillips* 50, 51, 52, 55
mundii *Klotzsch* 49
natalensis Phillips 50, 51
orientalis Sim 47, 48
parvula *Beard* 54
pegleri Phillips 50, 51
rhodantha *Hook. f.*
var. falcata *Beard* 53
var. rhodantha 50, 51–53
rouppelliae *Meisn* 41, 45–47
rubropilosa *Beard* 42–60
rudatisii Engl 45
simplex *Phillips* 51, 55
stipitata Phillips 51
subvestita *N. E. Br* 41, 48
tenax *R. Br* 63
transvaalensis *Phillips* 52, 56
transvaaliensis Gdgr. & Schinz 45
trigona Phillips 57

PAGE

PSILURINAE ... 2
Psilurus ... 2
Psoralea linearis ... 427, 428
Puccinella ... 2
Punctularia *Pat* ... 140
affinis (B. & C.) Talbot ... 140
atropurpurascens (R. & Br.) Petch ... 140
strigoso-zonata (*Schw.*) *Talbot* 143, 164
tuberculosa (*Pat.*) *Pat* ... 140, 141
Punctulatum ... 177
Raddia ... 4
Rendlia ... 314
Reseda capensis ... 427
Resupinate Hymenomycetae–Studies of some South African ... 131–171
Reticularia
affinis B. & C. ... 140
atro-rufa B. & C. ... 140
venulosa B. & C. ... 140
RHAMNACEAE ... 31
Rhapalodia *O. Müller* ... 609
gibba (*E.*) *O.M.* ... 609
Rhinacanthus *communis* Nees ... 412
gracilis *Klotzsch* ... 412
nasutus (*L.*) *Kurz* ... 412
rotundifolius *C. B. Cl.* ... 412
xerophilus *A. Meeuse* ... 410
Rhodohypoxis
baurii (*Bak.*) *Nel* ... 480
var. millioides ... 480
forma platypetala ... 480
palustris *Killick* ... 480
Rhopalodia *O. Müller* ... 609
gibba (*E.*) *O. M.* ... 609
Rhus thunbergii Hook ... 326
Rhynchelytrum ... 314
Richardia melanoleuca Hook. f. ... 456
var. *tropicalis* N. E. Br ... 456
Royena L. ... 17
acocksii de Winter ... 18, 457
angustifolia Willd ... 457
brachiata E. Mey. ex DC. ... 19
cordata E. Mey. ex DC. ... 17
var. *scabrida* (Harv. ex Hiern) de Winter ... 17
galpinii Hiern ... 457
glabra L. ... 457
glandulosa Harv. ex Hiern ... 457
guerkei O.K. ... 17, 457
hirsuta L. ... 18, 457
var. *microphylla* (Burch.) de Winter ... 18, 457
var. *rubriflora* de Winter ... 18, 457
lycioides (Desf.) A. DC. ... 17, 457
subsp. *sericea* (Bernh. ex Krauss) de Winter ... 17
subsp. *guerkii* (O. Ktze.) de Winter ... 17, 458
microphylla Burch ... 18
nitens Harv. ex Hiern ... 18, 458
opaca E. Mey. ex A. DC. ... 458
pallens Thunb. ... 19, 458
pubescens ... 19
ramulosa E. Mey. ex A. DC. ... 458
rugosa E. Mey. ex A. DC. ... 457
scabrida Harv. ex Hiern ... 17, 458

PAGE

Royena sericea Bernh. ex Krauss ... 17, 457
simii O. Ktze. ... 458
villosa L.
var. *parvifolia* de Winter ... 18, 458
whyteana Hiern ... 458
Ruspolia hypocrateriformis (*Vahl*) *Milne Redhead* ...
var. australis *Milne-Redhead* ... 439
Ruttya ovata *Harv.* ... 439
Ruttyruspolia, A Natural Intergeneric Hybrid in Acanthaceae by A. D. J. Meeuse and J. M. J. de Wet ... 439–443
Salvadora ... 14
angustifolia *Turrill* ... 14
var. australis (*Schweick.*) *Verdoorn* ... 15
australis Schweickerdt—New Status for ... 14
persica *L.* ... 14
SALVADORACEAE ... 14–15
SAPOTACEAE ... 317
—Notes, Southern Africa . 317–379
—Comparative analysis . . 319–320
Sapota cerasifera Welw.
Satureia—South African Species of, by D. J. B. Killick ... 435–437
Satureia
biflora (*Buch. Hamilt. ex D. Don*) *Briq* ... 435
var. rhodesiaca *Walther* ... 436
var. villosa *Walther* ... 436
compacta *Killick* ... 437
grandibracteata *Killick* ... 435, 437
grandiflora *Scheele* ... 435
pilosa *Velen.* ... 437
reptans *Killick* ... 437
Satyrium cornutum ... 427–428
Scenedesmus ... 611
bijugatus (*Turpin*) *Kütz* ... 611
quadricauda (*Turpin*) *Bréb.* . 611
Schismus ... 3
Schizachne ... 2, 6
Schizophyllum commune *Fries* ... 93, 102, 109
Schizostoma laceratum *Ehrenb. ex Lév.* . 109, 113
Schmidtia ... 313
Schoenus spicatus ... 427
SCROPHULARIACEAE ... 491
Sclerochiton
scissipalor *C. B. Cl.* ... 446
triacanthus *A. Meeuse* ... 446
Scleropoa ... 2
Scolymocephalus lanuginosus O. Ktze ... 45
Scytinostroma *Donk* ... 160
duriuscula *Donk* ... 169
Scytonema *Ag.* ... 563
myochrous (*Dillw.*) *Ag.* ... 563
Scytophyllum
angustifolium Sond ... 383
laurinum E. & Z. ... 383
Sebacina africana Burt ... 151, 152
macrospora (Ell. & Everh.) Burt 132
Sebaea ... 463
acutiloba Schinz ... 464
burchellii Gilg ... 464
capitata *Cham. & Schlechtdl.* ... 463
var. sclerosepala (*Schinz*) *Marais* 463
cleistantha R. A. Dyer ... 464

PAGE

Sebaea compacta *Hill*.... 464
confertiflora Schinz.... 464
cordata
var. *intermedia* Cham. & Schlechtdl.... 464
exacoides.... 464
fourcadei *Marais*.... 463
laxa *N. E. Br*.... 464
micrantha *Cham.* & *Schlechtdl.*
var. intermedia (*Cham.* & *Schlechtdl.*) *Marais*.... 464
pentandra *E. Mey.*
var. burchellii (*Gilg*) *Marais*.... 464
schoenlandii Schinz.... 464
sclerosepala Gilg ex Schinz.... 463
sedoides *Gilg*
var. confertiflora (*Schinz*) *Marais* 464
var. schoenlandii (*Schinz*) *Marais* 464
thomasii.... 464
zeyheri *Schinz*
subsp. acutiloba (*Schinz*) *Marais* 464
subsp. cleistantha (*R. A. Dyer*) *Marais*.... 464
Sehima.... 315
SELAGINACEAE.... 33
Senecio
brevidentatus *M. D. Henderson*.... 25
cordifolius *L.f*.... 95
cryptolanatus *Killick*.... 24
praeteritus *Killick*.... 25
tugelensis *Wood et Evans*.... 24
Sersalisia R. Br.... 332
cerasifera (Welw.) Engl.... 341
disaco (Hiern) Engl.... 341
Sesleria.... 2
SESLERINAE.... 2
Setaria.... 314
SIDEROXYLOIDEAE *H. J. Lam*.... 347
SIDEROXYLOIDEAE—BUMELIEAE.... 347
Sideroxylon *L*.... 332
adolfi-frederici Engl.... 341
argenteum Thunb.... 326
brevipes Bak.... 333
cinereum Lam.... 323
densiflorum Bak.... 341
dentatum Burm. f.... 326
diospyroides Bak.... 323
fischeri Engl.... 369
inerme *L*....317, 323, 325, 330
var. *schlechteri* Engl.... 330
randii S. Moore....335, 338
spinosum L.... 341
toxiferum Thunb.... 448
Sideroxylon sensu Bak. (=Vincentella *Pierre*).... 341
Simons, R. H. Notes on Aristothamnion purpuriferum (*Kütz.*) *J. Ag*...201–205
Simons, R. H. Notes on some Species of Cladophora from South Africa.... 189
Sistotrema *Fries* emend. *Donk*.....158, 161, 162
brinkmanni (*Bres*) *J. Erikson* 159, 163
muscicola (*Pers.*) *Lundell*....158, 163
Slevogtia orientalis Griseb.... 462
verticillata D. Don nom. illeg.... 462
Solanum capsicum.... 215

PAGE

Solenia *Pers. ex Fr*.... 163
minima.... 164
natalensis.... 164
rhoina.... 164
Sorghum.... 315
Soybean, Mosaic Virus.... 506
Sphaerozosma *Corda*.... 603
aubertianum *West*.... 603
Statice.... 488
avenacea C. H. Wright.... 491
corymbulosa Boiss.... 491
equisetina
var. *depauperata* Boiss.... 490
linifolia
var. *brachyphylla* Boiss....489, 490
var. *maritima* E. & Z. ex Boiss.... 490
longifolia Thunb....488, 490
pedicellata Boiss.... 489
perigrina Bergius....488, 490
purpurata L.... 488
var. *longifolia* Boiss.... 490
rosea.... 488
scabra Thunb.... 491
Stauroneis *Ehrenb*.... 606
anceps *E*.... 606
forma gracilis (*E.*) *Cl*.... 606
borrichi (*Peterson*) *Lund*.... 606
claasseniae *Chy*.... 606
crucicula *Grun*.... 606
phcenicenteron *E*.... 606
forma gracilis (*Dippel*) *Hust*.. 606
Stenopterobia
intermedia (*Lewis*) *Hust*.... 610
rautenbachiae *Chy*.... 610
Stereum *Persoon ex S. F. Gray*.... 166
acerinum (Pers. ex Fr.) Fr.... 123
affine *Lév*.... 167
australe *Lloyd*....167, 168
cellum sensu van der Byl.... 168
bicolor (*Pers. ex Fr.*) *Fr*.....160, 168
cinerascens (*Schw.*) *Massee*.... 168
concolor (Jungh.) Mont.... 160
cyphelloides *B.* & *C*.... 167
diaphanum (Schw.) Cooke....160, 167
durbanense 167
duriusculum B. & Br.... 168
elegans Mey.... 120
fasciatum (Schw.) Fr.... 160
friesii sensu van der Byl.... 168
fulvum (*Lév.*) *Sacc*.....149, 166, 167
fuscum.... 123
hirsutum (*Willd.*) *Pers. ex S. F. Gray*....94, 102, 167
involutum (*Klotzsch*) *Fr*.... 167
lobatum (*Kunze ex Fr.*) *Fr*....160, 167
luteobadium Fr.... 155
murraii (*B.* & *C.*) *Burt*.... 168
nitidulum *Berk*.... 167
ostrea (*Blume* & *Nees*) *Fr*.... 160
papyrinum *Mont*.... 149
perlatum *Berk*.... 160
pruinatum *Berk.* & *Curt*.... 150
purpureum (*Pers. ex Fr.*) *Fries*..94, 102, 107, 168
ravenelii *B.* & *C*.... 167
rimosum *Berk.*
var. africanum *Talbot*.... 16

PAGE

Stereum *rubiginosum* (Dicks. ex Fr.) Fr... 156
sanguinolentum (*Alb. & Schw. ex Fr.*) *Fr*.... 95
thozetii *Berk*.....120, 167
umbrinum *B. & C.*..147, 149, 150, 168
villosum Lév..... 156
Stigonema *Ag*..... 563
minutum (*Ag.*) *Hass*..... 563
pseudominutum *Claassen*..... 563
Stipa.....3, 313, 315
STIPEAE.....4, 313
Straurastrum *Meyen*..... 598
barbaricum *Claassen*..... 598
brevispinum *Bréb.*
var. masoganum *Claassen* 598
var. obversum *W. & G. S. West*..... 598
caffrorum *Claassen*..... 598
connatum *Roy. & Biss*
var. americanum *W. & G. S. West*..... 599
var. warmbadianum *Claassen*..... 599
crenatum *Claassen*..... 599
dickiei *Ralfs*..... 599
dilatatum *Ehrenb*..... 599
ellipticum *West*..... 599
excavatum *W. & G. S. West* 599
furcatum (*Ehrenb.*) *Bréb*.... 599
galpinii *Claassen*..... 599
gemelliparum *Nordst.*
var. africanum *Claassen*... 600
leptocladum *Nordst.*
var. cornutum *Wille*..... 600
mattiei *Claassen*..... 600
mesianum *Claassen*..... 600
orbiculare *Ralfs*
var. hibernicum *W. & G. S. West*..... 601
var. ralfsii *W. & G. S. West*..... 600
var. waterbergense *Claassen*..... 601
pseudogemmulatum *Claassen* 601
var. warmbadianum *Claassen*..... 601
pygmaeum *Bréb.*
var. apiculatum *W. & G. S. West*..... 601
var. botesii *Claassen*..... 601
quadrangulare *Bréb.*
var. armatum *W. & G. S. West*..... 601
var. subarmatum *Claassen* 601
rotula *Nordst.*
setigerum *Cleve*
var. pectinatum *W. & G. S. West*.....
forma australe *Claassen*.. 602
subgemmulatum *W. & G. S. West*
var. gracilis *W. & G West*..... 602
var. mattiei *Claassen*.... 602
subtrifurcatum *West*
forma major *W. & G. S. West*..... 602

PAGE

Straurastrum teliferum *Ralfs*
var. transvaalense *Claassen*..... 602
trihedrale *Wolle*
var. australe *Claassen*..... 602
tumidum *Bréb*..... 602
xiphiophorum *Wolle*
var. brachyacanthum *W. & G. S. West*..... 602
var. westiorum *Claassen*.. 602
Streptocarpus
pumilus *Burtt*..... 465
rimicola *Story*..... 465
vandeleuri..... 466
STREPTOCHAETEAE..... 5
STREPTOGYNINAE..... 2
Strophanthus
gerrardii *Stapf*.....454, 455
hirsutus *H. Hess*..... 455
luteolus *L. E. Codd*..... 454
petersianus *Klotzsch*..... 454
Strychnos
atherstonei Harv..... 11
decussata (*Pappe*) *Gilg*—Nomination of neotype for..... 11
dysophylla *Benth*.....11, 12
gerrardii *N. E. Br.*—Relationship between S. innocua, S. dysophylla and.....11, 12
innocua *Del*.....11, 12
subsp. burtonii (*Bak.*) *Bruce & Lewis*..... 12
subsp. dysophylla (*Benth.*) *Verdoorn*..... 12
subsp. engleri (*Gilg*) *Bruce & Lewis*..... 12
subsp. gerrardii (*N. E. Br.*) *Verdoorn*..... 12
subsp. innocua..... 12
Surirella *Turpin*..... 610
angusta *Kg*..... 610
delicatissima *Lewis*..... 610
linearis *W. Sm*..... 610
robusta *E*..... 610
var. splendida (*E.*) *van Heurck* 610
tenera *Greg*..... 610
forma minor *Chy*..... 610
Sutera cooperi *Hiern*..... 491
dentatisepala *Overkott*..... 491
pristisepala *Hiern*..... 491
Synedra *Ehrenb*..... 604
acus *Kg*..... 604
var. radians (*Kg.*) *Hust*..... 604
rumpens *Kg*..... 604
var. fragilarioides *Grun*..... 604
var. meneghiniana *Grun*..... 604
var. scotica *Grun*..... 604
ulna (*Nitzsch*) *E*..... 604
var. biceps (*Kg.*) *Hust*..... 604
var. danica (*Kg.*) *Grun*..... 604
vaucheriae *Kg*..... 604
Synsepalum *A. DC*..... 333
Talbot, P. H. B. New and Interesting Records of South African Fungi, Part III.....109–111

PAGE

Talbot, P. H. B. The Genera Craterellus, Cymatoderma (Cladoderris) and Thelephora in South Africa.....117–129
Talbot, P. H. B. Studies of Some South African Resupinate Hymenomycetes.....131–171
Tetmemorus *Ralfs*
laevis (*Kütz*) *Ralfs*..... 581
Tetrachne *Nees*.....2, 299, 301, 470
Tetrapogon tenellus..... 470
Thanatephorus cucumeris (*Frank*) *Donk*.. 134
Thecaphora bulbinellae *P. H. Talbot*..... 111
Thelephora *Ehrhart ex Fries*.....123, 165
acerina (*Pers.*) *Pers. ex Fr*.... 123
arida Fries..... 138
atropurpurascens B. & Br.... 140
biennis Fries..... 123
biennis sensu Kalchbr..... 123
fulva Lév..... 124
fuscoviolascens Mont.....124, 155
hirsuta (Willd.) Pers. ex Fr.... 124
intybacea Pers. ex Fr..... 124
laciniata Pers. ex Fr.....124, 126
nuda Fries..... 149
palmata (Scop.) Fr..... 125
pedicellata Schw..... 125
penicillata Lloyd.....125, 126, 165
pulverulenta Lév.....126, 139
punicea A. & S. ex Fries....126, 154
sinuans Pers..... 126
tabacina Sowerby..... 157
terrestris *Ehrh. ex Fr*.....126, 165
THELEPHORACEAE (*Pers.*) *Saccardo*..161, 162
THELEPHORACEAE, Species Index of—
Recorded South African..... 172
Themeda..... 315
triandra..... 417
Thorncroftia *N. E. Br*..... 429
longiflora *N. E. Br*..... 430
succulenta (*Dyer & Bruce*) *L. E. Codd*..... 431
thorncroftii (*S. Moore*) *L. E. Codd*..... 430
Tieghemella *Pierre*..... 348
Thunberg and Burman—Homonyms in the Prodromi of, by J. E. Dandy.....427, 428
Thymus biflorus Buch. Hamilt. ex D. Don.. 435
Thysanolaena..... 3
THYSANOLAENEAE..... 3
TILIACEAE..... 422
Tilletia ehrhartae *Talbot*..... 110
Tomato Spotted Wilt Virus. Samuel et al 270
Tomentella *Patouillard*.....154, 165
punicea (*A. & S. ex Fr.*) *Schroet.* 154, 165
Toxicophlaea..... 449
spectabilis Sond..... 449
thunbergii Harv..... 448
Trachyandra *Kunth*..... 711
§ Glandulifera..713, 717, **720**, 751
§ Liriothamnus.....713, **717**, 720
§ Trachyandra.....713, 717, **718**
acocksii *Oberm*.....713, **721**
adamsonii (*Compton*) *Oberm.* 713, **720**
affinis *Kunth*..... **728**
arvensis (*Schinz*) *Oberm.* 715, 716, **740**

PAGE

Trachyandra asperata *Kunth*..713, 715, 716, **754**
var. asperata..... **755**
var. basutoensis (*Poelln.*) *Oberm*..... **756**
var. carolinensis *Oberm*.. **755**
var. macowanii (*Bak.*) *Oberm*..... **756**
var. nataglencoensis (*O. Kuntze*) *Oberm*..... **755**
var. stenophylla (*Bak.*) *Oberm*.....713, **756**
var. swaziensis *Oberm*.... **755**
blepharophora (Roem. & Schult.) Kunth..... 734
brachypoda (*Bak.*) *Oberm*..714, **729**
bracteosa Kunth..... 734
brehmeana (Roem. & Schult.) Kunth..... 707
bulbinifolia (*Dint.*) *Oberm*..714, **743**
burkei (*Bak.*) *Oberm*.....713, **721**
canaliculata (Ait.) Kunth.... 734
capillata (*Poelln.*) *Oberm*.... **756**
chlamydophylla (*Bak.*) *Oberm.* 714, **731**
ciliata (*L.f.*) *Kunth*....714, 715, **733**
corymbosa Kunth..... 730
dissecta *Oberm*.....714, **751**
divaricata (*Jacq.*) *Kunth*....716, **737**
elongata (Willd.) Kunth.... 737
esterhuysenae *Oberm*.....714, **726**
erythrorrhiza (*Conr.*) *Oberm.* 716, **757**
falcata (*L.f.*) *Kunth*..711, 714, 716, **735**
fimbriata (Thunb.) Kunth.. 742
flexifolia (*L.f.*) *Kunth*..... **750**
gerrardii (*Bak.*) *Oberm.* 713, 715, **757**
giffenii (*Leight.*) *Oberm*.... **758**
glandulosa (*Dint.*) *Oberm*.... 754
gracilenta *Oberm*..... **726**
hirsuta (*Thunb.*) *Kunth* 695, 716, **730**
hirsutiflora (*Adamson*) *Oberm.* 715, 716, **733**
hispida (*L.*) *Kunth*..708, 712, **732**
humilis Kunth..... 755
involucrata (*Bak.*) *Oberm.* 712, 713, **721**
jacquiniana (*Roem. & Schult.*) *Oberm*.....713, 715, **745**
jacquinii Kunth..... 745
karrooica *Oberm*..... **748**
lanata (*Dint.*) *Oberm*..... **744**
laxa (*N.E. Br.*) *Oberm*....**739**, 740
var. erratica (*Oberm.*) *Oberm*..714, 715, **740**
var. laxa..... **739**
longepedunculata (*Steud. ex Roem. & Schult.*) *Kunth*.714, **736**
longifolia (Jacq.) Kunth.... 734
malosana (*Bak.*) *Oberm*....716, **759**
margaretae *Oberm*.....716, **727**
muricata (*L.f.*) *Kunth*. 716, 738, **742**
oligotricha (*Bak.*) *Oberm*.... **749**
paniculata *Oberm*..... **746**
paradoxa Kunth..... 732
patens *Oberm*..... **748**
pauciflora (Thunb.) Kunth... 707
peculiaris (*Dint.*) *Oberm*..... **733**

PAGE

Trachyandra pyrenicarpa (*Welw. ex Bak.*) *Oberm*....716, **759**
reflexipilosa (*O. Kuntze*) *Oberm*....714, 716, **726**
revoluta (*L.*) *Kunth*....**737**, 738, 740
sabulosa (*Adamson*) *Oberm.* 713, **753**
saltii (*Bak.*) *Oberm*..714, 715, 716, **722**
var. oatesii (*Bak.*) *Oberm*.. **725**
var. saltii.... **724**
var. secunda (*Krause & Dinter*) *Oberm*....716, **725**
scabra (*L.f.*) *Kunth*....713, **751**
schultesii Kunth....705, 707
tabularis (*Bak.*) *Oberm*....714, **730**
thyrsoidea (*Bak.*) *Oberm*..715, **744**
tortilis (*Bak.*) *Oberm*....715, **745**
undulata (Thunb.) Kunth.... 732
vespertina (Jacq.) Kunth.... 734
zebrina (*Schltr. ex Poelln.*) *Oberm*....716, **746**
Trachypogon.... 315
Tragus.... 313
Trametes
cingulata *Berk*....96, 103, 107
meyenii (*Klotzsch*) *Lloyd*..97, 103, 165
proteus (*Berk.*) *Fr*....97, 103, 107
Trechispora brinkmanni (Bres.) Rogers & Jackson.... 159
muscicola (Pers.) Rogers.... 158
Tricholaena.... 314
Trichopteryx....3, 314
Trichosporium curtisii Massee.... 140
Trifolium fragiferum *L*....221, 234, 528, 533
hybridum *L*..209, 234, 284, 498, 501, 509, 524, 528, 533, 538, 542
incarnatum *L*..209, 234, 284, 498, 501, 509, 522, 524, 528, 533, 538, 542
pratense *L*..209, 234, 284, 498, 501, 509, 524, 528, 533, 538, 542
repens *L*..209, 234, 501, 509, 524, 528, 542, 553
Triodia.... 2
TRIODINAE.... 2
Tripogon.... 314
Triraphis.... 314
Tristachya....3, 314
TRITICEAE.... 3
Turnera oculata *Story*.... 493
thomasii (*Urb.*) *Story*.... 493
ulmifolia L.
var. *thomasii* Urb.... 493
TURNERACEAE....493–496
Uniola.... 2
UNIOLEAE.... 7
Urelytrum.... 315
Urginea.... 759
dimorphantha Bak.... 483
langii Brem.... 482
Urochlaena *Nees*....1, 299, 301, 311, 314

PAGE

Urochloa....314–315
Van der Westhuizen G. C. A. Studies on Wood-rotting Fungi....83–115
Vararia Karst.... 160
VERBENACEAE.... 424
Verdoorn I. C. Notes on the Loganiaceae, Salvadoraceae and Oleaceae in South Africa.... 11–15
Vicia faba *L*..209, 234, 284, 498, 501, 509, 522, 524, 528, 533, 538, 542
Vigna catjang.... 233
cylindrica.... 233
sesquipedalis (*L.*) *Wight*..224, 234, 284, 498, 501, 509, 524, 533, 538, 542
unguiculata (*L.*) *Walp*..209, 234, 284, 498, 501, 509, 522, 524, 528, 533, 538, 542
Vincentella *Pierre*....333, 341
densiflora (*Bak.*) *Pierre*.... 341
longistyla (Bak.) Pierre.... 341
sapinii (*de Wild.*) *Brenan*.... 342
stolzii Mildbr. ex Hutch.... 342
Virus Diseases of Beans—The, by Patricia J. Klesser....521–558
Virus Diseases of Crotalaria, Glycine and Medicago Species—The, by Patricia J. Klesser....497–519
Virus Diseases of Lupins by P. J. Klesser. 207–233
Vitis capensis.... 427
Voandzeia subterranea *Thouars*..209, 234, 284, 498, 501, 509, 524, 528, 533, 538, 542
Vulpia....2, 313
White Clover Mosaic Virus.... 501
Xanthidium *Ehrenb*.... 598
cristatum *Bréb*.... 598
var. delpontei *Roy & Biss.* forma laevis *Claassen*.... 598
var. transvaalense *Claassen* 598
Xantholis *Rafin*.... 333
Zantedeschia
jucunda *C. Letty*.... 455
melanoleuca *Hook. f.* var. *tropicalis* N. E. Br.... 456
pentlandii (*Whyte ex Watson*) *Wittm*....455–456
tropicalis (*N. E. Br.*) *C. Letty* 456
Zeugitis.... 3
Zeyherella (Pierre ex Baill.) nom. nud.... 332
section *Zeyherella* sensu Wright pro parte.... 326
Zizania.... 4
Ziziphus *Mill*.... 33
jujuba *Mill*.... 33
pubescens *Oliv*....31, 33
rivularis *L. E. Codd*.... 31–33
ZOISEAE.... 313
Zygia sensu *E. Mey*.... 68
fastigiata E. Mey.... 80